



US00D964056S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D964,056 S**

(45) **Date of Patent:** **** Sep. 20, 2022**

(54) **VEHICLE FRONT SEAT**

(71) Applicant: **Canoo Technologies Inc.**, Torrance, CA (US)

(72) Inventors: **Richard Kim**, Los Angeles, CA (US);
Taeho Kim, South Pasadena, CA (US);
Arthur Henrique Martins, Jr., Los Angeles, CA (US); **Cameron Bresn**, Redondo Beach, CA (US); **Jarrad Adams**, Hermosa Beach, CA (US)

(73) Assignee: **Canoo Technologies Inc.**, Torrance, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/706,603**

(22) Filed: **Sep. 20, 2019**

(51) **LOC (13) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**

USPC D6/334, 356, 360, 369, 370, 374, 376, D6/716, 716.1, 716.2, 716.3, 716.4, D6/716.5, 716.7, 366, 335, 342, 364, 375; D21/521, 533, 548; D12/133, 7, 85, 187, D12/400, 195; D14/172
CPC A61H 2201/0149; B60N 2/06; B60N 2/20; B60N 2/22; B60N 2/58; B60N 2/68; B60N 2/80; B60N 2/643; B60N 2/888; B60N 2/859; B60N 2/1615; B60N 2/7035; B60N 2/42745; B60N 2002/0272; B60N 2205/35; B60N 2/44; B60N 2/56; B60N 2/206; B60N 2/366; B60N 2/933; B60N 2/2222; B60N 2/2245; B60N 2/686; B60N 2/688; B60N 2/46; B60N 2/30; F16B 2/08; F16B 2/803; F16B 45/00; B60K 35/00; B60K 37/06; B60K 2026/026; B60K 2370/685; B60K 2370/744

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D513,132 S * 12/2005 Yamazaki D6/356
D590,612 S * 4/2009 Zhang D6/356
7,758,129 B2 * 7/2010 Maruno B60N 2/36
297/440.15
D650,189 S * 12/2011 Nakaminami D6/356
D755,531 S * 5/2016 Ahn D6/356
D774,319 S * 12/2016 Ingenlath D6/356

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(57) **CLAIM**

The ornamental design for a vehicle front seat, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a vehicle front seat in a first position, according to a first embodiment of the invention, with the opposite side being a mirror image.

FIG. 2 is a front view thereof.

FIG. 3 is a side view of the vehicle front seat in a second position, according to a second embodiment of the invention, with the opposite side being a mirror image.

FIG. 4 is a perspective view thereof.

FIG. 5 is another perspective view thereof.

FIG. 6 is a top view thereof.



FIG. 7 is a rear view thereof.

FIG. 8 is a perspective view of the vehicle front seat in a third position, according to a third embodiment of the invention; and,

FIG. 9 is a perspective view of the vehicle front seat in a fourth position, according to a fourth embodiment of the invention.

The broken lines shown in the figures illustrate portions of the vehicle front seat that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D778,080	S *	2/2017	Ahn	D6/356
D841,348	S *	2/2019	Hodder	D6/356
D861,364	S *	10/2019	Pinder	D6/356
D862,099	S *	10/2019	Hodder	D6/356
D915,090	S *	4/2021	Zhang	D6/356
D924,583	S *	7/2021	Kang	D6/356
11,230,208	B2 *	1/2022	Flick	B60N 2/08
11,235,719	B2 *	2/2022	Onuma	B60N 2/002
2002/0070594	A1 *	6/2002	Mochizuki	B60N 2/067 297/344.1
2022/0041083	A1 *	2/2022	Mondragon	B60N 2/6054

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9