

US00D964861S

# (12) United States Design Patent (10) Patent No.:

Vidmar

US D964,861 S

(45) **Date of Patent:** 

\*\* Sep. 27, 2022

(54)	CAN FOR DRINKS				
(71)	Applicant:	Primoz Vidmar, Ljubljana (SI)			
(72)	Inventor:	Primoz Vidmar, Ljubljana (SI)			
(**)	Term:	15 Years			
(21)	Appl. No.:	35/511,914			
(22)	Filed:	May 6, 2021			
(80)	Hague Agreement Data				
	Int. Filing	Date: May 6, 2021			

mi. Filing Date: May 0, ZUZI Int. Reg. No.: DM/214332 Int. Reg. Date: May 6, 2021

Int. Reg. Pub. Date: May 28, 2021 

(52)U.S. Cl. 

Field of Classification Search (58)USPC ... D9/738, 763, 766, 767, 772, 744–745, 77 CPC ...... B65D 21/0233; B65D 21/0234; B65D 21/00; B65D 21/02; B65D 21/0201; B65D 21/0204; B65D 21/0205; B65D 21/0209; B65D 21/083

(56)**References Cited** 

## U.S. PATENT DOCUMENTS

See application file for complete search history.

4,768,672 A *	9/1988	Pulciani B65D 1/165
4,981,214 A *	1/1991	Rojas B65D 21/0228 D9/518

5,279,841	A	*	1/1994	Yu B65D 71/502
				206/821
				Stonehouse
5,573,133	A	*	11/1996	Park B65D 21/0228
				D9/518
D530,218	S	*	10/2006	Burkemper D9/503
D695,138	S	*	12/2013	Ball

<sup>\*</sup> cited by examiner

Primary Examiner — Michael A. Pratt

### (57)**CLAIM**

The ornamental design for a can for drinks, as shown and described.

### **DESCRIPTION**

1. Can for drinks

**1.1** : Front

1.2 : Exploded


1.3: Front tilted view of the lower part

**1.4** : Top

1.5 : Top view of lower part


The model represents a unified technical system of connecting two cylindrical parts of cans to each other as a repeatable detachable connection into a single two-part cylindrical can; The problem solved by the model is that the user, when buying a multifunctional can, at the same time buys a drink in one part of the can, and a snack or any other accessory, in one package or together, and the can can be disassembled and assembled via a repeatable mechanical connection at any time or can later also be used to store small items.

### 1 Claim, 5 Drawing Sheets





U.S. Patent

1.1




Sep. 27, 2022





US D964,861 S

1.4



Sep. 27, 2022

