



US00D964965S

(12) **United States Design Patent** (10) **Patent No.:** **US D964,965 S**
Lv (45) **Date of Patent:** **** Sep. 27, 2022**

(54) **HEADSET ACCESSORY**

(71) Applicant: **Hualin Lv**, Jiujiang (CN)

(72) Inventor: **Hualin Lv**, Jiujiang (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/790,551**

(22) Filed: **Dec. 3, 2021**

(51) **LOC (13) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/217**

(58) **Field of Classification Search**

USPC D14/217, 218; D13/168

CPC H04M 1/72412; H04M 1/6066; H04M

2250/02; H04M 2250/12; H04M 2250/22;

H04M 1/05; H04M 1/72403; H04M

1/72454; H04M 1/6058; H04M 1/72409;

H04M 1/724; H04M 1/72436; H04M

1/72457; H04M 7/006; H04M 1/72442;

H04M 1/72469; H04M 2250/52; H04M

1/0266; H04M 1/6041; H04M 1/7243;

H04M 2250/74; H04M 1/2535; H04M

3/56; H04M 1/0214; H04M 2201/40;

H04M 1/72463; H04M 1/72448; H04M

3/5183; H04M 3/5175; H04M 1/72427;

H04M 1/6033; H04M 1/72445; H04M

1/725; H04M 3/51; H04M 3/568; H04M

1/6091; H04M 1/0202; H04M 2250/10;

H04M 1/04; H04M 1/67; H04M 1/0216;

H04M 9/082; H04M 3/42042; H04M

1/72415; H04M 19/04; H04M 2250/16;

H04M 3/42059; H04M 1/271; H04M

3/5166; H04M 1/03; H04M 3/523; H04M

3/5191; H04M 3/42221; H04M 1/026;

H04M 3/567; H04M 1/0268; H04M

1/6075; H04M 3/533; H04M 2201/38;

H04M 3/5158; H04M 2207/18; H04M

3/436; H04M 2201/60; H04M 1/72451;

H04M 1/0264; H04M 1/21; H04M 3/42;

H04M 3/493; H04M 2250/06; H04M

1/663; H04M 1/6016; H04M 1/0206;

H04M 3/42382; H04M 1/72406; H04M
1/72439; H04M 3/42323; H04M 1/0254;
H04M 2201/42; H04M 1/72433; H04M
1/6008; H04M 1/27475; H04M 1/72484;
H04M 2242/30; H04M 1/72466; H04M
1/0235; H04M 1/0258; H04M 3/2281;
H04M 3/42391; H04M 3/42365; H04M
1/2757; H04M 1/57; H04M 2250/60;
H04M 15/00;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D363,290 S * 10/1995 Kim D14/248

D372,919 S * 8/1996 Nagele D14/248

(Continued)

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Zhihua Han

(57) **CLAIM**

The ornamental design for a headset accessory, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headset accessory showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;


FIG. 7 is a bottom view thereof;

FIG. 8 is an exploded view of the headset accessory thereof; and,

FIG. 9 is an exploded view of the headset accessory thereof.

The broken lines shown in the drawings depict portions of the headset accessory in which the design is embodied that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(58) **Field of Classification Search**

CPC .. H04M 1/72502; H04M 1/605; H04M 1/575;
H04M 3/5232; H04M 2250/04; H04M
1/0262; H04M 3/54; H04M 1/23; H04M
1/0274; H04M 1/576; H04M 1/0277;
H04M 2242/04; H04M 1/0245; H04M
3/42348; H04M 3/4931; H04M 1/22;
H04M 1/72478; H04M 7/12; H04M
3/5233; H04M 2250/62; H04M 3/2218;
H04M 3/42068; H04M 1/185; H04M
3/58; H04M 1/15; H04M 2201/50; H04M
3/42102; H04M 1/0256; H04M 1/236;
H04M 3/5133; H04M 7/0027; H04M
2242/22; H04M 1/0283; H04M 1/24;
H04M 3/4936; H04M 1/18; H04M
1/2475; H04M 9/08; H04M 1/7246;
H04M 2250/70; H04M 11/04; H04M
3/42374; H04M 1/2473; H04M 1/035;
H04M 1/0237; H04M 1/2755; H04M
1/656; H04M 19/047; H04M 3/5238;
H04M 1/6505; H04M 7/1295; H04M
3/42263; H04M 7/0069; H04M 3/4938;
H04M 1/02; H04M 7/0057; H04M
3/42093; H04M 7/003; H04M 11/066;
H04M 2203/2011; H04M 2203/4536;
H04M 3/38; H04M 1/2747; H04M
3/5231; H04M 3/53366; H04M 3/5116;
H04M 11/06; H04M 3/4878; H04M
2203/2094; H04M 1/27453; H04M
2250/64; H04M 3/42314; H04M 3/5237;
H04M 1/19; H04M 1/578; H04M 1/60;
H04M 1/00; H04M 1/72513; H04M
2250/14; H04M 1/0249; H04M 1/0241;
H04M 1/72418; H04M 3/002; H04M
9/085; H04M 3/53333; H04M 3/564;
H04M 3/60; H04M 1/66; H04M 3/02;
H04M 2201/18; H04M 2203/2072; H04M
2203/402; H04M 3/42051; H04M 3/5235;
H04M 1/2746; H04M 3/42161; H04M
1/0247; H04M 1/233; H04M 3/42153;
H04M 2203/551; H04M 7/1205; H04M
1/0272; H04M 1/72421; H04M 3/527;
H04M 3/53308; H04M 3/563; H04M
2203/2061; H04M 2250/18; H04M
3/5307; H04M 1/642; H04M 1/72424;
H04M 19/041; H04M 3/2236; H04M
3/36; H04M 1/006; H04M 2201/14;
H04M 1/56; H04M 15/68; H04M
3/42017; H04M 2203/651; H04M 1/2745;
H04M 11/08; H04M 15/58; H04M
19/048; H04M 3/2227; H04M 7/0039;
H04M 3/569; H04M 1/6083; H04M
1/72472; H04M 2203/6009; H04M 7/128;
H04M 2203/4509; H04M 3/5141; H04M
1/6025; H04M 1/64; H04M 2203/306;
H04M 3/42229; H04M 15/06; H04M
3/382; H04M 3/5125; H04M 3/4285;
H04M 2203/401; H04M 2201/39; H04M
2207/203; H04M 2203/357; H04M
2203/404; H04M 2203/6081; H04M
2250/58; H04M 2203/6018; H04M
1/2478; H04M 3/42178; H04M 7/0024;
H04M 1/2155; H04M 1/247; H04M
7/0036; H04M 11/007; H04M 15/66;
H04M 3/42195; H04M 3/428; H04M

3/4935; H04M 3/537; H04M 1/737;
H04M 15/83; H04M 2203/2038; H04M
2203/6027; H04M 3/48; H04M 1/253;
H04M 1/82; H04M 2201/41; H04M
2203/301; H04M 2203/5018; H04M
2215/32; H04M 1/215; H04M 3/5322;
H04M 7/0015; H04M 2203/6054; H04M
3/42008; H04M 3/4933; H04M 3/543;
H04M 1/27457; H04M 15/80; H04M
17/00; H04M 2203/2027; H04M 3/42204;
H04M 3/46; H04M 3/465; H04M 1/022;
H04M 15/47; H04M 2203/60; H04M
3/20; H04M 7/0012; H04M 7/0054;
H04M 11/00; H04M 3/00; H04M 3/4211;
H04M 3/4365; H04M 2203/1091; H04M
2203/256; H04M 2203/558; H04M
2203/655; H04M 3/53383; H04M
3/42357; H04M 15/44; H04M 2203/2066;
H04M 2250/66; H04M 1/2471; H04M
1/2477; H04M 11/10; H04M 2203/652;
H04M 3/44; H04M 3/5315; H04M 15/41;
H04M 15/8033; H04M 2242/14; H04M
7/0033; H04M 1/673; H04M 1/72481;
H04M 15/56; H04M 15/8214; H04M
2207/206; H04M 3/2254; H04M 3/424;
H04M 11/002; H04M 15/85; H04M
2207/20; H04M 3/4234; H04M 3/565;
H04M 7/0048; H04M 7/0075; H04M
1/06; H04M 2203/1016; H04M
2203/5027; H04M 2203/5072; H04M
2215/0196; H04M 7/0045; H04M 1/0233;
H04M 3/566; H04M 15/8083; H04M
3/562; H04M 1/0279; H04M 1/65; H04M
2203/303; H04M 3/487; H04M 1/0281;
H04M 15/8044; H04M 3/4228; H04M
7/0078; H04M 9/001; H04M 15/51;
H04M 2201/12; H04M 7/0072; H04M
1/0243; H04M 1/585; H04M 15/08;
H04M 15/60; H04M 2203/252; H04M
2207/12; H04M 7/123; H04M 1/58;
H04M 1/72475; H04M 1/73; H04M 1/78;
H04M 15/49; H04M 2203/305; H04M
3/42127; H04M 1/17; H04M 1/667;
H04M 1/72505; H04M 11/068; H04M
15/09; H04M 15/765; H04M 15/852;
H04M 15/88; H04M 7/1235; H04M
1/733; H04M 15/61; H04M 2203/355;
H04M 2250/08; H04M 3/18; H04M
3/4872; H04M 3/561; H04M 1/26; H04M
1/677; H04M 15/43; H04M 15/57; H04M
17/02; H04M 19/08; H04M 3/22; H04M
7/00; H04M 1/0208; H04M 1/727; H04M
2215/0148; H04M 2250/20; H04M 1/68;
H04M 1/72516; H04M 2203/1025; H04M
2203/6045; H04M 2242/12; H04M 3/53;
H04M 7/125; H04M 1/2474; H04M 1/27;
H04M 1/2749; H04M 1/738; H04M
15/77; H04M 15/84; H04M 2215/202;
H04M 3/40; H04M 3/42136; H04M
11/064; H04M 15/62; H04M 19/044;
H04M 2203/2044; H04M 2203/408;
H04M 2203/5009; H04M 1/2748; H04M
1/27485; H04M 1/724098; H04M 11/085;
H04M 15/55; H04M 2203/253; H04M
2203/5063; H04M 3/28; H04M 9/00;

H04M 1/27463; H04M 1/573; H04M
15/48; H04M 15/851; H04M 19/045;
H04M 2215/208; H04M 3/30; H04M
3/53341; H04M 7/129; H04M 1/0212;
H04M 1/0225; H04M 17/026; H04M
2201/16; H04M 2215/54; H04M 2242/15;
H04M 3/2272; H04M 3/4281; H04M
3/4288; H04M 3/432; H04M 1/6545;
H04M 17/10; H04M 2203/352; H04M
2203/556; H04M 2215/62; H04M
2250/56; H04M 3/42306

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D373,772	S	*	9/1996	Bennett	D14/248
D374,012	S	*	9/1996	Bennett	D14/248
D541,787	S	*	5/2007	Ma	D14/205
D586,329	S	*	2/2009	Birger	D14/205
D734,308	S	*	7/2015	Jeon	D14/248
D736,756	S	*	8/2015	Ju	D14/248
D757,683	S	*	5/2016	Glezerman	D14/206
D783,568	S	*	4/2017	Pista	D14/248
D786,826	S		5/2017	Esses		
D830,346	S	*	10/2018	Chen	D14/225
D863,256	S		10/2019	Lindof		
D864,163	S		10/2019	Lindof		
D866,084	S	*	11/2019	Brutler	D14/224
D868,741	S	*	12/2019	Barber	D14/217
D885,359	S	*	5/2020	Li	D14/148
D895,577	S	*	9/2020	Smith	D14/223

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9