

US00D965072S

(12) **United States Design Patent** (10) **Patent No.:** **US D965,072 S**
Zhao (45) **Date of Patent:** **** Sep. 27, 2022**

(54) **FIDGET TOY**

(71) Applicant: **Yiwu Jiashi Electronic Co., Ltd.**,
Yiwu (CN)

(72) Inventor: **Ming Zhao**, Yiwu (CN)

(73) Assignee: **Yiwu Jiashi Electronic Co., Ltd.**,
Yiwu (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/790,168**

(22) Filed: **Nov. 10, 2021**

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/468**

(58) **Field of Classification Search**
USPC D21/303, 341, 342, 344, 345, 350, 354,
D21/313, 340, 360, 366, 386, 389, 392,
D21/397, 455, 468, 466, 475, 478, 493,
D21/496, 500; D9/423, 436, 499, 645,
D9/721, 756, 757, 761, 762; D7/354,
D7/359, 367, 389, 551.3, 553.4, 553, 556,
D7/569, 578, 625, 357, 672, 676;
D1/109, 110; D3/208, 211; D24/188,
D24/193–195, 200, 211–214; D11/204,
D11/205, 211, 219, 224, 226, 233, 238,
D11/239, 44, 48, 57, 75, 101, 125, 173;
D30/160; D25/61
CPC A63F 3/00694; A63F 3/00176; A63F 3/00;
A63F 9/00; A63F 9/001; A63F 9/0081;
A63F 1/06; A63F 3/00094; A63F
3/00097; A63F 3/00173; A63F
2003/00182; A63F 3/00214; A63F
3/0625; A63F 9/0602; A63F 9/0073;
A63F 9/0093; G07F 17/00; G16H 20/60;
A63H 33/00; A63B 23/16; A61H 15/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D281,177 S	*	10/1985	Tilbor	D21/341
D281,696 S	*	12/1985	Barnhart	D15/90
D289,854 S	*	5/1987	Lane	D9/425
D334,777 S	*	4/1993	Caravella	D21/303
D346,552 S	*	5/1994	Krupa	D9/757
D362,027 S	*	9/1995	Nelson	D21/341
D371,961 S	*	7/1996	Krupa	D9/757
D406,595 S	*	3/1999	Tunzi	D15/90
D501,231 S	*	1/2005	Rom	D21/478
D646,334 S	*	10/2011	Ingram	D21/303
D689,746 S	*	9/2013	Zorovich	D7/672
D839,360 S		1/2019	Philgreen et al.	
D839,361 S		1/2019	Lederer	
D897,449 S	*	9/2020	Xu	D21/392
D908,810 S	*	1/2021	Carson	D21/468
D908,811 S	*	1/2021	Carson	D21/468

(Continued)


Primary Examiner — Mehri F Bajoul
(74) *Attorney, Agent, or Firm* — Jeenam Park

(57) **CLAIM**
The ornamental design for a fidget toy, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a fidget toy, showing my new design;
FIG. 2 is a perspective view, showing the fidget toy in operation status;
FIG. 3 is another perspective view of FIG. 1;
FIG. 4 is a front view of FIG. 1;
FIG. 5 is a rear view of FIG. 1;
FIG. 6 is a left side view of FIG. 1;
FIG. 7 is a right side view of FIG. 1;
FIG. 8 is a top plan view of FIG. 1; and,
FIG. 9 is a bottom plan view of FIG. 1.
The broken lines shown in the drawings illustrate portions of the fidget toy that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D917,972 S *	5/2021	Jones	D7/553.2
D924,336 S *	7/2021	Yu	D21/341
D939,635 S *	12/2021	Chen	D21/468
D944,329 S *	2/2022	Deng	D21/468
D947,953 S *	4/2022	Cui	D21/468
D953,440 S *	5/2022	Li	D21/468
2006/0219594 A1 *	10/2006	Andrews	B65D 85/32 206/518

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9