



US00D965154S

(12) **United States Design Patent**
Zhang

(10) **Patent No.:** **US D965,154 S**

(45) **Date of Patent:** **** Sep. 27, 2022**

(54) **BACK SHOULDER POSTURE CORRECTION BAND**

(71) Applicant: **Xiaowen Zhang**, Changzhou (CN)

(72) Inventor: **Xiaowen Zhang**, Changzhou (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/821,772**

(22) Filed: **Jan. 3, 2022**

(51) **LOC (13) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/190; D29/101.3**

(58) **Field of Classification Search**
USPC D24/186, 188–191; D29/101.1, 101.3,
D29/101.4; D3/215

CPC A61F 5/026; A61F 5/028; A61F 5/058;
A41D 13/0015

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 84,787 A * 12/1868 Adamson A61F 5/026
2/45
- 198,503 A * 12/1877 Altmann A61F 5/026
2/45
- 298,818 A * 5/1884 Biddlecome A61F 5/026
2/45
- 329,659 A * 11/1885 Linqvist A61F 5/026
2/45
- 370,055 A * 9/1887 Haley A61F 5/026
2/45
- 531,372 A * 12/1894 Gamble A61F 5/026
2/45
- 541,681 A * 6/1895 Putz A61F 5/028
2/327
- 773,282 A * 10/1904 Faust A61F 5/028
2/327
- D45,984 S * 6/1914 Bowers A61F 5/028
D24/190

- 2,252,357 A * 8/1941 Shaw A47D 15/006
D29/101.1
- D245,537 S * 8/1977 Gurgiolo A61F 5/026
D29/101.1
- 4,570,619 A * 2/1986 Gamm A61F 5/05808
2/45
- 6,315,747 B1 * 11/2001 Toole A61F 5/026
602/19
- D451,604 S * 12/2001 Kasabach A61F 5/026
D24/186
- D555,289 S * 11/2007 Escarcega D29/101.3
- D635,624 S * 4/2011 Brown D24/190
- D699,365 S * 2/2014 Pollack
- D713,996 S * 9/2014 Collett D29/101.1
- D734,591 S * 7/2015 Jirsa D24/190
- D748,277 S * 1/2016 Chen D24/190
- D768,956 S * 10/2016 Jirsa D24/190

(Continued)

FOREIGN PATENT DOCUMENTS

KR 301040626.0000 * 1/2020

Primary Examiner — T Chase Nelson

Assistant Examiner — Kelly L Gross

(74) *Attorney, Agent, or Firm* — Xuan Zhang


(57) **CLAIM**

The ornamental design for a back shoulder posture correction band, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a back shoulder posture correction band showing my new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a left view thereof; FIG. 6 is a right view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D776,287	S	1/2017	Leonard	
D806,343	S *	12/2017	Hobbins	D29/101.1
D818,132	S	5/2018	Hille	
D825,111	S *	8/2018	Lenahan	D29/101.1
D847,356	S *	4/2019	Chen	D24/190
D851,263	S *	6/2019	Thompson	D24/190
D858,780	S *	9/2019	Sikandar	D24/190
10,413,438	B1 *	9/2019	Vangeloff	A61F 5/026
D866,866	S *	11/2019	Dickens	D29/101.4
D882,804	S *	4/2020	Matsuura	A47D 15/006 D24/190
D895,128	S	9/2020	Khubani	
D938,597	S *	12/2021	Du	A61F 5/028 D29/101.3
2004/0143204	A1 *	7/2004	Salmon	A61F 5/026 602/19
2007/0016120	A1 *	1/2007	Latronica	A61F 5/026 602/19
2015/0119779	A1 *	4/2015	Chen	A61F 5/026 602/19
2019/0343690	A1 *	11/2019	Ishida	A61F 5/02
2020/0046539	A1 *	2/2020	Jawed	A61F 5/028

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8