



US00D965533S

(12) **United States Design Patent** (10) **Patent No.:** **US D965,533 S**
Okayasu et al. (45) **Date of Patent:** **** Oct. 4, 2022**

(54) **ELECTRICAL CONNECTOR HOLDER**

(71) Applicant: **SUMITOMO WIRING SYSTEMS, LTD.**, Mie-ken (JP)

(72) Inventors: **Yasushi Okayasu**, Yokkaichi (JP);
Takeshi Matsumoto, Yokkaichi (JP);
Shinichiro Morishita, Yokkaichi (JP)

(73) Assignee: **SUMITOMO WIRING SYSTEMS, LTD.**, Mie-Ken (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/771,707**

(22) Filed: **Feb. 24, 2021**

(30) **Foreign Application Priority Data**

Aug. 27, 2020 (JP) 2020-018013 D

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/154**; D13/133; D13/199

(58) **Field of Classification Search**
USPC D8/71-72, 323, 349, 354, 356, 366,
D8/380-382, 394-396, 499; D9/455;
D11/1, 95; D12/51, 406, 180, 223;
D13/119-120, 122, 128, 133, 139.4,
D13/146-149, 152, 154, 162.1, 173, 182,
D13/183, 199; D14/239, 435, 437;
D15/138, 143; D20/27; D21/484, 694;
D23/223, 262, 411; D25/68, 199
CPC .. F16B 1/00; F16B 11/00; F16B 17/00; F16B
2200/00; F16B 7/0486; F16C 33/583;
F16C 43/04; F16C 19/36; F16C 35/073;
F16D 1/0847; B23B 31/18; B65H 75/08;
H05K 7/023; H05K 7/026; Y10T 292/45;
Y10T 24/44966; A63H 33/26; A63H
33/042; A63H 33/046
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,183,767 A * 5/1916 Radtke B23B 31/18
403/374.2
D173,796 S * 1/1955 Dreier D15/143
D209,701 S * 12/1967 Lindsey D8/396
3,463,520 A * 8/1969 Turro F16D 1/0847
403/362
D371,508 S * 7/1996 Sagol D8/396
D402,636 S * 12/1998 Taft D13/173
D537,332 S * 2/2007 Nagle D8/396
D653,310 S * 1/2012 Texier D23/262

(Continued)

OTHER PUBLICATIONS

Climax, Date: Mar. 26, 2010, [online], [site visited May 7, 2022].
Available from internet, URL: <https://www.amazon.com/Climax-2C-087-Two-Piece-Clamping-Plating/dp/B00207UKF6> (Year: 2010).*

Primary Examiner — Shawn T Gingrich

Assistant Examiner — Bryan N. Melvin

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

The ornamental design for an electrical connector holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electrical connector holder showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a right side view thereof; and,

FIG. 6 is a left side view thereof.

The broken lines illustrate portions of the electrical connector holder that form no part of the claimed design. The dash-dotted lines denote the boundary of the claim and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D699,537 S	*	2/2014	Miller	D8/72
D704,035 S	*	5/2014	Wills	D8/355
D866,469 S	*	11/2019	Hu	H05K 7/023
					D13/133
D878,240 S	*	3/2020	Osborne	D11/95
D892,606 S	*	8/2020	Sullivan	D8/382

* cited by examiner




FIG.1




FIG.2





FIG.3

FIG.4






FIG. 6




FIG. 5