



US00D965679S

(12) **United States Design Patent** (10) **Patent No.:** **US D965,679 S**
Lee (45) **Date of Patent:** **** Oct. 4, 2022**

(54) **SENSORY COVER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Natalie Lee**, Moranbah (AU)

CN 304649220 * 5/2018
GB 4008551 * 9/2008

(72) Inventor: **Natalie Lee**, Moranbah (AU)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/652,877**

Rokduk Kids Weighted Lap Pad, Amazon.com, date published Dec. 17, 2020, date retrieved 5-17-22-29652877-https://amzn.to/3wwZ7nS (Year: 2020).*

(22) Filed: **Dec. 23, 2020**

Weighted Fidget Pad, Swenseacalm.com, no pub date, retrieved 5-17-22-29652877-https://www.sensacalm.com/products/weighted-fidget-pad?variant=41004127518879 (Year: 2022).*

(51) **LOC (13) Cl.** **19-17**

(52) **U.S. Cl.**
USPC **D19/60**

(58) **Field of Classification Search**
USPC D21/653, 596, 656, 612; D6/596-598, D6/601, 603; D19/26, 59, 60, 62, 86, 90
CPC A63H 3/02
See application file for complete search history.

* cited by examiner

Primary Examiner — Jennifer L Rempfer
Assistant Examiner — Danielle Nichole Bowly
(74) *Attorney, Agent, or Firm* — Carson Patents; Gregory D Carson

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS


The ornamental design for a sensory cover, as shown and described.

D40,047 S *	6/1909	Baker	D21/658
D309,391 S *	7/1990	King	D6/601
D346,086 S *	4/1994	Jones	D6/601
5,443,288 A *	8/1995	Miles	B42D 5/04 283/2
6,280,200 B1 *	8/2001	Cunningham	G09B 19/00 283/2
D523,677 S *	6/2006	Keller	D6/598
D551,889 S *	10/2007	Keller	D6/601
D832,617 S *	11/2018	Soto-Camacho	D6/601
D927,887 S *	8/2021	Bruhn	D6/601
2008/0113323 A1	5/2008	McElhoe		
2009/0149698 A1	6/2009	Tastard		
2010/0024130 A1 *	2/2010	Moore	A47G 9/0253 5/636
2010/0276883 A1 *	11/2010	Mack	A63F 3/00 273/243
2011/0013856 A1	1/2011	Gilbert		
2012/0020586 A1	1/2012	Gilbert		
2020/0187684 A1 *	6/2020	Bruhn	A63H 3/50

DESCRIPTION

FIG. 1 is the sensory cover in a perspective view, highlighting the pockets in a closed position on the front of the device;
FIG. 2 is the sensory cover in a perspective view, highlighting the pockets in an open position on the front of the device;
FIG. 3 is the front view of the sensory cover with the pockets in a closed position;
FIG. 4 is the back side view of the sensory cover thereof;
FIG. 5 is the left side view of the sensory cover thereof;
FIG. 6 is the right side view of the sensory cover thereof;
FIG. 7 is the top view of the sensory cover thereof; and,
FIG. 8 is the bottom view of the sensory cover.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8