



US00D965774S

(12) **United States Design Patent** (10) **Patent No.:** **US D965,774 S**
Morris et al. (45) **Date of Patent:** **** Oct. 4, 2022**

(54) **SYRINGE HOLDER**
(71) Applicant: **MedStar Health, Inc.**, Washington, DC (US)
(72) Inventors: **Tiffany Ashley Morris**, Windsor Mill, MD (US); **Steven H. Rappaport**, Brookeville, MD (US)
(73) Assignee: **MEDSTAR HEALTH, INC.**, Columbia, MD (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/699,082**
(22) Filed: **Jul. 23, 2019**
(51) **LOC (13) Cl.** **24-02**
(52) **U.S. Cl.**
USPC **D24/128**
(58) **Field of Classification Search**
USPC D24/185, 216–232, 127–128;
D3/203.1–203.8, 304; D6/406.1–406.3,
D6/406.6; D9/341, 345, 347, 348, 415,
D9/418, 419, 430, 732; 422/58, 99, 102,
422/104, 297, 400, 560–564, 509, 942;
211/85.13, 126.14, 174
CPC A61M 5/14; A61M 5/008; A61M 5/1458;
F16M 13/02; F16B 2/06; F16B 2/10;
F16C 11/10; F16C 2316/10; F16C 29/02
See application file for complete search history.

D237,357 S * 10/1975 Ziaylek, Jr. D8/373
4,119,285 A 10/1978 Bisping et al.
D267,227 S * 12/1982 Ziaylek, Jr. D8/373
4,707,906 A 11/1987 Posey
D297,053 S * 8/1988 Janzen D8/380
5,456,940 A * 10/1995 Funderburk B05B 13/0627
427/236
D373,823 S * 9/1996 Baldwin D24/128
D394,381 S * 5/1998 Ziaylek, Jr D8/354
5,853,158 A 12/1998 Riggle
D434,495 S * 11/2000 Whalen D24/128
6,565,054 B2 5/2003 Weesner et al.
7,458,551 B2 * 12/2008 Wang A61M 5/158
248/689
D609,030 S * 2/2010 Barabas D14/238
9,642,778 B1 5/2017 Yazbeck
D846,115 S * 4/2019 Warn D24/128

(Continued)

Primary Examiner — Nathan M Johnston
(74) *Attorney, Agent, or Firm* — Tarolli, Sundheim,
Covell & Tummino LLP

(57) **CLAIM**


We claim the ornamental design for a syringe holder, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of our new design for a syringe holder, shown in use;
FIG. 2 is a bottom perspective view of the syringe holder of FIG. 1;
FIG. 3 is a side view of the syringe holder of FIG. 1;
FIG. 4 is a front view of the syringe holder of FIG. 1;
FIG. 5 is a rear view of the syringe holder of FIG. 1;
FIG. 6 is a bottom view of the syringe holder of FIG. 1; and,
FIG. 7 is a top view of the syringe holder of FIG. 1.
Broken lines are used to illustrate portions of the syringe holder other broken lines illustrate environmental subject matter neither form no part of the claimed design.

1 Claim, 1 Drawing Sheet

(56) **References Cited**
U.S. PATENT DOCUMENTS
656,054 A 8/1900 Smith
1,647,039 A * 10/1927 Fischer G01N 9/14
73/441
3,298,648 A 1/1967 Sepanski
3,318,457 A 5/1967 Krasnoff
D222,527 S * 11/1971 Ziaylek, Jr. D8/373



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0233000 A1 * 10/2007 Perez A61M 5/3287
604/115

* cited by examiner




Fig. 5




Fig. 7




Fig. 4




Fig. 6



Fig. 3




Fig. 2




Fig. 1