



US00D965780S

(12) **United States Design Patent** (10) **Patent No.:** **US D965,780 S**
Kagiwada et al. (45) **Date of Patent:** **** Oct. 4, 2022**

- (54) **MENSTRUAL DEVICE WITH HOLES AND RIDGES**
- (71) Applicant: **The Flex Company**, Venice, CA (US)
- (72) Inventors: **Amanda Kagiwada**, Venice, CA (US); **Jane Adame**, Venice, CA (US); **Lauren Schulte Wang**, Venice, CA (US); **Jonathan Taylor Wiegele**, Venice, CA (US); **Andrew Ross Miller**, Venice, CA (US)
- (73) Assignee: **The Flex Company**, Venice, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/743,437**
- (22) Filed: **Jul. 21, 2020**
- (51) **LOC (13) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/141**
- (58) **Field of Classification Search**
USPC D24/141, 121, 124-125
CPC A61F 5/4553; A61F 5/455; A61F 6/06; A61F 6/08; A61F 6/12
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D746,452 S * 12/2015 Petrova D24/141
D832,438 S * 10/2018 Brockway D24/141
10,357,395 B2 * 7/2019 Miller A61F 5/4553
D894,386 S * 8/2020 LeClerc D24/141
D895,798 S * 9/2020 Newman D24/141
D895,799 S * 9/2020 Newman D24/141
10,806,624 B2 * 10/2020 Brockway A61F 5/4553
D923,785 S * 6/2021 Tsai D24/141
11,096,819 B2 * 8/2021 Brown A61F 5/4553


- 2008/0077097 A1 * 3/2008 Chambers A61F 5/4553
604/330
- 2019/0021898 A1 * 1/2019 Ahn A61F 5/4553
- 2019/0336318 A1 * 11/2019 Kubo A61F 5/4553
- 2020/0046572 A1 * 2/2020 Hwang A61F 5/4553
- 2020/0060865 A1 * 2/2020 Hwang A61F 5/4553
- 2020/0078208 A1 * 3/2020 Stoebe-Latham A61F 5/4553
- 2020/0078209 A1 * 3/2020 Stoebe-Latham A61F 5/4553
- 2020/0214876 A1 * 7/2020 Tsai A61F 5/4553

* cited by examiner
Primary Examiner — Wan Laymon
(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**
The ornamental design for a menstrual device with holes and ridges, as shown and described.

DESCRIPTION
FIG. 1 is a front elevation view of a menstrual device with holes and ridges;
FIG. 2 is an isometric view of the menstrual device with holes and ridges;
FIG. 3 is an isometric view of the menstrual device with holes and ridges;
FIG. 4 is a rear isometric view of the menstrual device with holes and ridges;
FIG. 5 is an isometric view of the menstrual device with holes and ridges;
FIG. 6 is a top plan view of the menstrual device with holes and ridges; and,
FIG. 7 is a bottom plan view of the menstrual device with holes and ridges.
The broken line in FIG. 7 is included for the purpose of illustrating portions of the menstrual device with holes and ridges and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7