



US00D965816S

(12)

United States Design Patent
Luther et al.

(10)

Patent No.: **US D965,816 S**

(45)

Date of Patent: **** Oct. 4, 2022**

(54) **ELECTROPORATION DEVICE**

(71) Applicant: **MaxCyte, Inc.**, Gaithersburg, MD (US)

(72) Inventors: **James William Luther**, Milan (IT);
Bertold Engler, Altensteig (DE);
Andrea Besana, Seveso (IT); **Thomas Alan Peach**, Milan (IT)

(73) Assignee: **MaxCyte, Inc.**, Gaithersburg, MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/790,956**

(22) Filed: **Dec. 22, 2021**

Related U.S. Application Data

(63) Continuation of application No. 29/788,419, filed on May 21, 2021, now Pat. No. Des. 942,038, which is a continuation of application No. 29/726,251, filed on Mar. 2, 2020, now Pat. No. Des. 923,199.

(51) **LOC (13) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/233; D24/216**

(58) **Field of Classification Search**
USPC D13/101, 110, 112, 113, 114, 115, 116,
D13/118, 122; D24/144, 216, 220, 232,
D24/233, 167, 170, 185, 200, 214
CPC F02B 63/04; F02D 19/066; F24H 9/02;
A61B 18/1206; A61B 18/1402; A61B
18/1815; H01R 13/64; H02K 21/042;
H02K 7/006; H02H 3/025; A61N 1/00;
A61N 1/05; A61N 1/32
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D536,795 S * 2/2007 Knieriem D24/186
D542,737 S * 5/2007 Spira D13/162

D546,761 S 7/2007 Schnackenberg
D552,241 S 10/2007 Bromley et al.
D567,761 S 4/2008 Waaler et al.
D574,771 S 8/2008 Flanigan et al.
D610,553 S * 2/2010 Makela D13/162
D611,003 S * 3/2010 Muirhead D13/162
D620,886 S 8/2010 Flattinger et al.
D633,874 S * 3/2011 Feldstein D13/164
D693,928 S 11/2013 Chung et al.
D699,844 S * 2/2014 Yoshida D24/138
D712,352 S 9/2014 George et al.
D712,833 S 9/2014 George et al.
D728,121 S 4/2015 Cook et al.
9,020,605 B2 4/2015 McCluskey et al.
D743,035 S 11/2015 Uozumi et al.
D759,250 S 6/2016 Engler

(Continued)

Primary Examiner — Derrick E Holland

(74) *Attorney, Agent, or Firm* — Finnegan, Henderson,
Farabow, Garrett & Dunner, LLP


(57) **CLAIM**

The ornamental design for an electroporation device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of an electroporation device, showing the new design;
FIG. 2 is a rear, bottom, left perspective thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines of uneven length illustrate the boundary of the claimed design and form no part thereof. The broken lines of even length depict portions of the electroporation device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D821,601 S	6/2018	Henderson
D860,941 S	9/2019	Wheeler
2016/0175619 A1	6/2016	Lee et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8