

US00D965863S

(12) **United States Design Patent** (10) **Patent No.:** **US D965,863 S**
Liu et al. (45) **Date of Patent:** **** Oct. 4, 2022**

(54) **POWER SUPPLY DEVICE FOR ATOMIZING DEVICE**

(71) Applicant: **Shenzhen Smoore Technology Limited**, Shenzhen (CN)

(72) Inventors: **Yu Liu**, Shenzhen (CN); **Baosheng Lai**, Shenzhen (CN)

(73) Assignee: **SHENZHEN SMOORE TECHNOLOGY LIMITED**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/800,441**

(22) Filed: **Jul. 21, 2021**

Related U.S. Application Data

(63) Continuation of application No. 29/711,979, filed on Nov. 4, 2019, now Pat. No. Des. 943,154.

(30) **Foreign Application Priority Data**

May 27, 2019 (CN) 201930263276.2

(51) **LOC (13) Cl.** **27-02**

(52) **U.S. Cl.**
USPC **D27/167**

(58) **Field of Classification Search**
USPC D27/162, 100, 101, 163–170, 172, D27/174–176, 183, 185–194; D23/360, D23/363, 366; D13/103, 107–109; D24/110, 100.5
CPC A24F 47/002; A24F 47/006; A24F 47/008; A61M 15/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D799,110 S * 10/2017 Qiu D27/101
D865,276 S * 10/2019 Pino D27/162

D870,964 S * 12/2019 Lee D27/194
D898,278 S * 10/2020 Carlberg D27/162
D902,474 S * 11/2020 Chen D27/101
D903,938 S * 12/2020 Chimbuya D27/162
D914,279 S * 3/2021 Jones D27/162
D916,363 S * 4/2021 Laidlaw D27/162
D919,881 S * 5/2021 Carlberg D27/162
D921,283 S * 6/2021 Laidlaw D27/162
D929,035 S * 8/2021 Liu D27/162
D930,234 S * 9/2021 Wang D27/162
D930,895 S * 9/2021 Fornarelli D27/162
D931,202 S * 9/2021 Lai D27/162
D936,895 S * 11/2021 Chen D27/162
D937,474 S * 11/2021 Qiu D27/162
D943,160 S * 2/2022 Cheung D27/162
D943,161 S * 2/2022 Cheung D27/162
D943,172 S * 2/2022 Li D27/162
D945,698 S * 3/2022 Morgan D27/162

* cited by examiner

Primary Examiner — Rebecca Tsehaye


(57) **CLAIM**

The ornamental design for a power supply device for atomizing device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a power supply device for atomizing device;
FIG. 2 is a left side perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is an enlarged top plan view thereof; and,
FIG. 8 is an enlarged bottom plan view thereof.
The broken lines in the drawings depict portions of the power supply device for atomizing device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8