



US00D966182S

(12) **United States Design Patent** (10) **Patent No.:** **US D966,182 S**  
**Vonarburg** (45) **Date of Patent:** **\*\* Oct. 11, 2022**

(54) <b>CHARGING STATION FOR ELECTRIC VEHICLES</b>	D680,952 S * 4/2013 Henderson ..... D13/108
(71) Applicant: <b>Numbat GmbH</b> , Kempten (DE)	D686,985 S * 7/2013 Henderson ..... D13/107
(72) Inventor: <b>Lukas Vonarburg</b> , Zufikon (CH)	D688,200 S * 8/2013 Shin ..... D13/107
(73) Assignee: <b>Numbat GmbH</b> , Kempten (DE)	D718,709 S * 12/2014 Moribe ..... D13/118
	D893,414 S * 8/2020 Mercer ..... D13/107
	RE48,500 E * 4/2021 Mercer ..... B60L 53/31 D13/107
	D934,165 S * 10/2021 Zhang ..... D13/107
	D942,937 S * 2/2022 Kihl ..... D13/107

(\*\*) Term: **15 Years**

\* cited by examiner

(21) Appl. No.: **35/511,414***Primary Examiner* — Rhea Shields(22) Filed: **Aug. 13, 2020**(74) *Attorney, Agent, or Firm* — Muetting Raasch Group(80) **Hague Agreement Data**

Int. Filing Date:	<b>Aug. 13, 2020</b>
Int. Reg. No.:	<b>DM/210843</b>
Int. Reg. Date:	<b>Aug. 13, 2020</b>
Int. Reg. Pub. Date:	<b>Feb. 19, 2021</b>
(51) LOC (13) Cl.	<b>13-04</b>
(52) U.S. Cl.	<b>D13/102</b>
USPC	.....
(58) <b>Field of Classification Search</b>	USPC ..... D13/102, 107, 108, 118 CPC ..... H01R 27/003; H01R 13/641; B60L 53/31 See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

- 5,344,331 A \* 9/1994 Hoffman ..... H01R 13/641  
439/138  
5,744,934 A \* 4/1998 Wu ..... H01R 27/00  
320/111

(57) **CLAIM**

The ornamental design for a charging station for electric vehicles, as shown and described.

**DESCRIPTION**


1. Charging station for electric vehicles
  - 1.1 : Back
  - 1.2 : Front
  - 1.3 : Left
  - 1.4 : Right
  - 1.5 : Bottom
  - 1.6 : Top
  - 1.7 : Perspective
  - 1.8 : Perspective
1. 1.1 back; 1.2 front; 1.3 left; 1.4 right; 1.5 bottom; 1.6 top;  
1.7 perspective; 1.8 perspective.

**1 Claim, 8 Drawing Sheets**


**1.1**




**1.2**




**1.3**




**1.4**




**1.5**



**1.6**



**1.7**



**1.8**

