



US00D966184S

(12) **United States Design Patent** (10) **Patent No.:** **US D966,184 S**
Cheng (45) **Date of Patent:** **** Oct. 11, 2022**

(54) **BATTERY**
(71) Applicant: **JUHEYUAN SCIENCE & TECHNOLOGY CO., LTD.**, Shenzhen (CN)
(72) Inventor: **Kewen Cheng**, Shenzhen (CN)
(73) Assignee: **JUHEYUAN SCIENCE & TECHNOLOGY CO., LTD.**, Shenzhen (CN)

D937,194 S * 11/2021 Baker D13/103
D937,198 S * 11/2021 Parcon D13/103
D940,065 S * 1/2022 Baker D13/103
D940,653 S * 1/2022 Imsand D13/108
D943,511 S * 2/2022 Liu D27/162
D943,512 S * 2/2022 Liu D27/162
D943,531 S * 2/2022 Xiao D13/119
D949,094 S * 4/2022 Liu D27/162
D949,095 S * 4/2022 Boris D13/103
D950,174 S * 4/2022 Dimbylow D32/31
D951,180 S * 5/2022 Crowe D13/103

(**) Term: **15 Years**
(21) Appl. No.: **29/776,211**
(22) Filed: **Mar. 29, 2021**
(30) **Foreign Application Priority Data**

Dec. 3, 2020 (CN) 202030740407.4
(51) **LOC (13) Cl.** **13-02**
(52) **U.S. Cl.**
USPC **D13/103**
(58) **Field of Classification Search**
USPC D13/103, 107, 108, 110, 118, 119, 122, D13/184, 199
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124; Y02E 60/50; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D932,439 S * 10/2021 Baker D13/119
D934,162 S * 10/2021 Parcon D13/103

OTHER PUBLICATIONS

Cylinder Battery. (Design—© Questel) orbit.com. [Online PDF compilation of references] 61 pgs. Print Dates Range Sep. 27, 2019-Oct. 15, 1993 [Retrieved Jun. 30, 2022].*
High Output Lithium Ion Battery. Oct. 26, 2010. Amazon. <https://www.amazon.com/PL-Battery-4500-Lithium-Battery-Powerlight-Flashlight/dp/B00DHYWYRI>.*

(Continued)

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Suzanne E Tisdell
(74) *Attorney, Agent, or Firm* — Ladas & Parry LLP


(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a front, right, and top perspective view of a battery; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof. The broken (dashed) lines show portions of the battery that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Power Bank Portable Portable Charger. Apr. 8, 2021. Amazon.
<https://www.amazon.eg/-/en/Power-Portable-Charger-Cylindrical-Shape/dp/B09233ZJBT>.*

9 Best Portable Chargers and Power Banks 2021. Jun. 29, 2021. NY
Mag. <https://nymag.com/strategist/article/best-portable-chargers.html>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7