



US00D966197S

(12) **United States Design Patent** (10) **Patent No.:** **US D966,197 S**  
**Termini et al.** (45) **Date of Patent:** **\*\* Oct. 11, 2022**

(54) **MAGNETICALLY SECURING CABLE PLUG**

(71) Applicants: **Calista A. Termini**, Woodland Hills, CA (US); **Jennifer J. Termini**, Agoura Hills, CA (US); **John W. Cramer, IV**, Huntington Beach, CT (US)

(72) Inventors: **Calista A. Termini**, Woodland Hills, CA (US); **Jennifer J. Termini**, Agoura Hills, CA (US); **John W. Cramer, IV**, Huntington Beach, CT (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/664,172**

(22) Filed: **Sep. 21, 2018**

(51) **LOC (13) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/146**

(58) **Field of Classification Search**  
USPC ..... D13/107, 118, 123, 133, 146, 147, 149, D13/151, 153, 154, 173, 183, 184, 199  
CPC ..... G06F 1/18; G01R 19/165; H01R 11/30; H01R 13/60; H01R 13/62; H01R 13/6205; H01R 13/66; H01R 13/6683; H01R 31/06; H01R 24/38  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,066,739	B2	6/2006	McLeish	
D527,346	S *	8/2006	Brodin	D13/146
D753,065	S *	4/2016	Corona	D13/146
10,522,943	B1 *	12/2019	Termini	H01R 13/64
2005/0118853	A1 *	6/2005	Starke	H01R 13/625 439/320
2008/0194137	A1 *	8/2008	Kuo	H01R 13/5219 439/489
2008/0233773	A1 *	9/2008	Meleck	H01R 13/64 439/107

2012/0135629	A1 *	5/2012	Montena	H01R 12/70 439/359
2013/0165002	A1 *	6/2013	Nooner	H01R 13/5208 439/892
2014/0099838	A1 *	4/2014	Chiu	H01R 13/621 439/786
2014/0342593	A1 *	11/2014	Murphy	H01R 13/567 439/359
2017/0346200	A1 *	11/2017	Bertrand	H01R 13/5219
2019/0366101	A1 *	12/2019	McSherry	H01R 24/60
2022/0045457	A1 *	2/2022	Chuang	G06F 1/1633
2022/0047106	A1 *	2/2022	Tsai	H01R 13/10

\* cited by examiner

*Primary Examiner* — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Charmasson, Buchaca & Leach, LLP

(57) **CLAIM**

The ornamental design for a magnetically securing cable plug, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top, left perspective view of an undulating, keyed orientation interface for a matable pair of connector bodies for a magnetically securing cable plug according to an embodiment of our design.

FIG. 2 is a back, bottom, right perspective view thereof.

FIG. 3 is a left side elevation view thereof, the right side elevation view being a mirror image thereof.

FIG. 4 is a top plan view thereof.


FIG. 5 is a bottom plan view thereof; and,



FIG. 6 is a front elevational view thereof, the back elevational view being a mirror image thereof.

Broken lines are used to indicate environment and form no part of the claimed design.

Shading lines are used to show solid structures and are not intended to indicate surface decoration.

**1 Claim, 2 Drawing Sheets**








FIG. 3




FIG. 4




FIG. 5




FIG. 6