

US00D966208S

(12) **United States Design Patent** (10) **Patent No.:** **US D966,208 S**
Omori (45) **Date of Patent:** **** Oct. 11, 2022**

(54) **LIGHT EMITTING DIODE** D771,579 S * 11/2016 Eguchi D13/180
D778,246 S * 2/2017 Kuriki D13/180
(71) Applicants: **CITIZEN ELECTRONICS CO., LTD.**, Fujiyoshida (JP); **CITIZEN WATCH CO., LTD.**, Nishitokyo (JP) D823,492 S * 7/2018 Welch D26/1
D831,591 S * 10/2018 Iino D13/180
D895,559 S 9/2020 Kuriki et al.
D904,989 S 12/2020 Watanabe et al.
D911,297 S 2/2021 Watanabe et al.
(72) Inventor: **Yuji Omori**, Yamanashi (JP) 2007/0246730 A1* 10/2007 Oishi H01L 33/64
257/E33.001

(73) Assignees: **CITIZEN ELECTRONICS CO., LTD.**, Fujiyoshida (JP); **CITIZEN WATCH CO., LTD.**, Nishitokyo (JP)

(Continued)

(**) Term: **15 Years**

JP D1458132 S 12/2012
JP D1458478 S 12/2012
JP D1579636 S 6/2017

(21) Appl. No.: **29/780,408**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Apr. 23, 2021**

OTHER PUBLICATIONS

(30) **Foreign Application Priority Data**

Nichia Corporation, "Specifications for White LED" Part No. NVCWJ024Z-V1MT, pp. 1 and 5, (Nov. 21, 2018).

Dec. 2, 2020 (JP) 2020-026028 D

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180; D26/1**

(58) **Field of Classification Search**
USPC D13/101, 110, 118, 180, 199; D26/1, 2
CPC . H04L 2224/32245; H04L 2224/48227; H04L
2224/48091; H04L 33/08; H04L 33/38;
H04L 33/62; H04L 33/64; H04L 33/483;
H04L 33/486; H04L 33/648; F21V 7/00;
F21V 21/00

See application file for complete search history.

Primary Examiner — Derrick E Holland

(74) *Attorney, Agent, or Firm* — Procopio, Cory,
& Hargreaves & Savitch LLP

(56) **References Cited**

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.


U.S. PATENT DOCUMENTS

3,239,178 A * 3/1966 Pompa F16B 47/003
211/1
D514,530 S * 2/2006 Matsui D26/2
D576,576 S * 9/2008 Shida D13/180
D707,192 S * 6/2014 Hussell D13/180
D729,751 S 5/2015 Oka et al.
9,194,567 B2* 11/2015 Hussell F21V 7/00

DESCRIPTION

FIG. 1 is a perspective view of a light emitting diode showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines shown represent the portions of the light emitting diode that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0126257 A1* 5/2012 Reihherzer H01L 33/62
257/E33.066

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7

