



US00D966891S

(12) **United States Design Patent** (10) **Patent No.:** **US D966,891 S**
Pan (45) **Date of Patent:** **** Oct. 18, 2022**

(54) **BOTTLE HOLDER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **SHENZHEN ZHIDAWEI TECHNOLOGY CO., LTD.**, Shenzhen (CN)

CN 306646439 * 6/2021
GB 6121848 * 12/2020

Primary Examiner — Wendy L Arminio

(72) Inventor: **Zhi Pan**, Shenzhen (CN)

(57) **CLAIM**

(73) Assignee: **SHENZHEN ZHIDAWEI TECHNOLOGY CO., LTD.**, Shenzhen (CN)

The ornamental design for a bottle holder, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/785,985**

(22) Filed: **May 28, 2021**

(30) **Foreign Application Priority Data**

Dec. 22, 2020 (EM) 008359889

(51) **LOC (13) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D9/455**; D3/318; D7/620; D12/114

(58) **Field of Classification Search**

USPC D9/434–436, 443, 445–447, 449, 450, D9/455, 499, 501, 516, 517, 739; D7/387, 391, 392, 392.1, 396.2, 507, 601, D7/602, 619.1, 620, 622; D3/202, 215, D3/318; D12/114, 411, 419, 420
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 5/46; B65D 41/00; B65D 41/26; B65D 41/38;

(Continued)

(56) **References Cited**


U.S. PATENT DOCUMENTS

D487,660 S * 3/2004 Sayers D9/455
D594,745 S * 6/2009 Hecht D9/455

(Continued)

FIG. 1 is a perspective view of a bottle holder showing my new design where a top cover is in a first position; FIG. 2 is another perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a perspective view of the bottle holder of FIG. 1 shown in a second position where the top cover is turned over; FIG. 10 is a front elevational view thereof and the rear elevational view being a mirror image thereof; FIG. 11 is a top plan view thereof; FIG. 12 is a perspective view of the bottle holder of FIG. 1 where the bottle holder is shown in a first environment of use; FIG. 13 is a perspective view of the bottle holder of FIG. 1 where the bottle holder is shown in a second environment of use; FIG. 14 is an enlarged view of portion 14 shown in FIG. 1; and, FIG. 15 is an enlarged view of portion 15 shown in FIG. 9. The dash-dash broken lines in the drawings depict environment that form no part of the claimed design. The dot-dash-dot broken lines in the drawings depict boundaries of the enlarged portions and form no part of the claimed design.

1 Claim, 15 Drawing Sheets



(58) **Field of Classification Search**

CPC B65D 41/56; B65D 41/62; B65D 43/00;
B65D 47/00; B65D 47/04; B65D 47/06;
B65D 47/061; B65D 47/065; B65D
47/08; B65D 47/12; B65D 47/122; B65D
47/40; B65D 2251/00; B65D 2543/00046;
B65D 2543/00092; B65D 2543/00296

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D675,446	S	*	2/2013	Cohee		D3/318
D738,726	S	*	9/2015	Peluso		D9/455
D772,064	S	*	11/2016	Boroski		D9/436
D779,943	S	*	2/2017	Tulencik		D9/455
D780,580	S	*	3/2017	Tulencik		D3/318
D820,914	S		6/2018	Alko		
D831,487	S	*	10/2018	Schlatter		D9/455
D837,612	S	*	1/2019	Shuntich		D7/619.1
D854,890	S	*	7/2019	Shuntich		D7/619.1
D864,716	S	*	10/2019	Laroque		D9/446
D864,717	S	*	10/2019	Kim		D9/455
D881,869	S	*	4/2020	Pan		D12/114
D889,211	S		7/2020	Cox		
D915,245	S	*	4/2021	Nagano		D12/114
11,115,516	B1	*	9/2021	Pan		F16M 11/041
D946,356	S	*	3/2022	Zeitzer		D7/624.2
D947,669	S	*	4/2022	Ravat		D9/449
2015/0264968	A1	*	9/2015	Shuntich		A23L 5/32
						99/275

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15