

US00D966934S

(12)

United States Design Patent
Walker

(10)

Patent No.:
US D966,934 S

(45)

Date of Patent:
** Oct. 18, 2022

(54) MAGNETIC HOLDING STRAP

(71) Applicant: Kelly Walker, Randwick (AU)

(72) Inventor: Kelly Walker, Randwick (AU)

(**) Term: 15 Years

(21) Appl. No.: 29/710,720

(22) Filed: Oct. 25, 2019

(30) Foreign Application Priority Data

May 13, 2019 (AU) 201912576

(51) LOC (13) Cl. 02-07

(52) U.S. Cl.

USPC D11/200; D8/395

(58) Field of Classification Search

USPC D6/672, 684, 680, 683.1, 703.5; D8/330, D8/331, 333, 380, 382, 354, 319, 349, D8/355, 356, 363, 373, 360, 368, 369, D8/370, 394, 395; D13/154, 133, 129, D13/199; D25/119, 164, 199, 139, 141; D26/138, 76, 78, 79, 80; D11/200, 201, D11/206, 207, 222

CPC .. F16C 2314/72; F16C 29/0623; F16C 29/06; F16C 29/008; F16C 29/04; F16C 29/0657; F16C 29/004; F16C 29/12; A47B 1/10; A47B 88/493; A47B 88/423; A47B 88/4235; F16M 11/2085; F16M 11/2092; F16M 11/2007; F16M 11/2014; F16M 11/2021; F16M 11/105; F16M 11/048; F16M 11/12; F16M 11/022; F16M 11/10

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,529,328 A * 9/1970 Davison D06F 55/00 24/303

3,729,780 A * 5/1973 White G09F 3/00 24/543

D327,149 S * 6/1992 Harper, IV D8/395

D369,959 S * 5/1996 Marsh D8/394

D426,458 S * 6/2000 Axelsson D8/394

D693,992 S * 11/2013 Dinunzio D2/853

D728,449 S * 5/2015 Klinck D12/400

D729,616 S * 5/2015 Rothbaum D8/356

9,427,036 B2 * 8/2016 Key A41F 9/02

9,561,397 B2 * 2/2017 Zaki A63B 21/4025

D801,542 S * 10/2017 Anderson D24/192

D809,903 S * 2/2018 Rothbaum D8/356

D824,244 S * 7/2018 Rothbaum D8/356

D838,985 S * 1/2019 Nair D3/318

D875,241 S * 2/2020 Siew D24/110.1

D883,838 S * 5/2020 Deng D11/3

(Continued)

Primary Examiner — Richard Kearney

Assistant Examiner — Benjamin M Weeks

(74) Attorney, Agent, or Firm — Nixon & Vanderhye P.C.

(57) CLAIM

The ornamental design for a magnetic holding strap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a magnetic holding strap;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view thereof shown in an alternate configuration of use;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;


FIG. 11 is a right side view thereof;

FIG. 12 is a left side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D889,843	S	*	7/2020	Liu		D3/327
D891,291	S	*	7/2020	Grinnell		D11/200
D926,559	S	*	8/2021	Voss		D8/382
2013/0310723	A1	*	11/2013	Chiang		A61F 5/0111
						602/27
2014/0041099	A1	*	2/2014	Boyd		A41B 11/125
						2/239
2019/0298047	A1	*	10/2019	Vanettes		A45C 13/30

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14