US00D967008S

# (12) United States Design Patent

Krishna et al.

(10) Patent No.: US D967,008 S
(45) Date of Patent: ** Oct. 18, 2022

(54) **TIRE TREAD**

(71) Applicant: **Apollo Tyres Global R&D B.V.**, Enschede (NL)

(72) Inventors: **Kashyap Krishna**, Enschede (NL); **Alessandro Ercoli**, Enschede (NL)

(73) Assignee: **Apollo Tyres Global R&D B.V.**, Enschede (NL)

(**) Term: **15 Years**

(21) Appl. No.: **29/738,231**

(22) Filed: **Jun. 16, 2020**

(30) **Foreign Application Priority Data**

May 20, 2020 (EM) ..... 007955570

(51) **LOC (13) Cl.** ..... **12-15**

(52) **U.S. Cl.**
USPC ..... **D12/604**

(58) **Field of Classification Search**
USPC ..... D12/600–604, 550, 553, 564, 565, 567, D12/574, 580, 584, 586, 588, 590, 594, D12/595
CPC . B60C 11/0302; B60C 11/0306; B60C 11/03; B60C 11/04; B60C 11/11; B60C 2200/14; B60C 1/0016
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


| | | | | | |
|---|---|---|---|---|---|
| D421,416 | S | * | 3/2000 | Edwards | D12/603 |
| D421,584 | S | * | 3/2000 | Lovell | D12/600 |
| D493,767 | S | * | 8/2004 | Himuro | D12/603 |
| D529,435 | S | * | 10/2006 | Dumigan | D12/600 |
| D586,733 | S | * | 2/2009 | Shinohara | D12/901 |
| D596,112 | S | * | 7/2009 | Kawakami | D12/601 |
| D596,114 | S | * | 7/2009 | Kawakami | D12/601 |
| D612,326 | S | * | 3/2010 | Lo | D12/588 |
| D612,801 | S | * | 3/2010 | Scheifele | D12/588 |
| D646,627 | S | * | 10/2011 | Takemoto | D12/588 |
| D764,389 | S | * | 8/2016 | Thieman | D12/601 |
| D766,173 | S | * | 9/2016 | Takahashi | D12/601 |
| D777,654 | S | * | 1/2017 | Lundgren | D12/604 |
| D812,551 | S | * | 3/2018 | Stanley | D12/601 |
| D819,556 | S | * | 6/2018 | Umstot | D12/601 |
| D830,288 | S | * | 10/2018 | Uchida | D12/567 |
| D851,024 | S | * | 6/2019 | Jacobs | D12/601 |
| D853,949 | S | * | 7/2019 | Zimmerman | D12/601 |
| D867,979 | S | * | 11/2019 | Jacobs | D12/601 |
| D876,330 | S | * | 2/2020 | Poling | D12/601 |
| D882,505 | S | * | 4/2020 | Maggelet | D12/601 |

(Continued)


*Primary Examiner* — Michelle E. Wilson
*Assistant Examiner* — Clese Moore, Jr.
(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle & Sklar, LLP

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. **1** is a front elevation view of a tire tread showing our new design;
FIG. **2** is a right side elevation view thereof;
FIG. **3** is a left side elevation view thereof;
FIG. **4** is a front, right perspective view thereof; and,
FIG. **5** is an enlarged partial front elevation view thereof.
The square boundary shown with the dot-dash broken line in FIGS. **1** and **5** is for the purpose of illustrating demarcation of the enlarged view of the tire tread and forms no part of the claimed design.
The other broken line showing is for the purpose of illustrating unclaimed portions of the tire tread and forms no part of the claimed design.
The tread pattern repeats uniformly throughout the circumference of the tire.

**1 Claim, 5 Drawing Sheets**



(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|---|---|---|---|---|---|
| D882,506 | S | * | 4/2020 | Maggelet | D12/601 |
| D882,508 | S | * | 4/2020 | Herbeuval | D12/584 |
| D883,191 | S | * | 5/2020 | Tanaka | D12/600 |
| D883,910 | S | * | 5/2020 | Ashton | D12/600 |
| D934,787 | S | * | 11/2021 | Burnworth | D12/588 |

* cited by examiner

FIG. 1





FIG. 2



FIG. 3

FIG. 4





FIG. 5