



US00D967008S

(12) **United States Design Patent** (10) **Patent No.:** **US D967,008 S**
Krishna et al. (45) **Date of Patent:** **** Oct. 18, 2022**

(54) **TIRE TREAD**

(71) Applicant: **Apollo Tyres Global R&D B.V.**,
Enschede (NL)

(72) Inventors: **Kashyap Krishna**, Enschede (NL);
Alessandro Ercoli, Enschede (NL)

(73) Assignee: **Apollo Tyres Global R&D B.V.**,
Enschede (NL)

(**) Term: **15 Years**

(21) Appl. No.: **29/738,231**

(22) Filed: **Jun. 16, 2020**

(30) **Foreign Application Priority Data**

May 20, 2020 (EM) 007955570

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/604**

(58) **Field of Classification Search**
USPC D12/600-604, 550, 553, 564, 565, 567,
D12/574, 580, 584, 586, 588, 590, 594,
D12/595

CPC . B60C 11/0302; B60C 11/0306; B60C 11/03;
B60C 11/04; B60C 11/11; B60C 2200/14;
B60C 1/0016

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D421,416 S * 3/2000 Edwards D12/603
D421,584 S * 3/2000 Lovell D12/600
D493,767 S * 8/2004 Himuro D12/603
D529,435 S * 10/2006 Dumigan D12/600
D586,733 S * 2/2009 Shinohara D12/901
D596,112 S * 7/2009 Kawakami D12/601
D596,114 S * 7/2009 Kawakami D12/601

D612,326 S * 3/2010 Lo D12/588
D612,801 S * 3/2010 Scheifele D12/588
D646,627 S * 10/2011 Takemoto D12/588
D764,389 S * 8/2016 Thieman D12/601
D766,173 S * 9/2016 Takahashi D12/601
D777,654 S * 1/2017 Lundgren D12/604
D812,551 S * 3/2018 Stanley D12/601
D819,556 S * 6/2018 Umstot D12/601
D830,288 S * 10/2018 Uchida D12/567
D851,024 S * 6/2019 Jacobs D12/601
D853,949 S * 7/2019 Zimmerman D12/601
D867,979 S * 11/2019 Jacobs D12/601
D876,330 S * 2/2020 Poling D12/601
D882,505 S * 4/2020 Maggelet D12/601

(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle
& Sklar, LLP

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a tire tread showing our new design;

FIG. 2 is a right side elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a front, right perspective view thereof; and,

FIG. 5 is an enlarged partial front elevation view thereof.

The square boundary shown with the dot-dash broken line in FIGS. 1 and 5 is for the purpose of illustrating demarcation of the enlarged view of the tire tread and forms no part of the claimed design.

The other broken line showing is for the purpose of illustrating unclaimed portions of the tire tread and forms no part of the claimed design.

The tread pattern repeats uniformly throughout the circumference of the tire.

1 Claim, 5 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS

D882,506 S	*	4/2020	Maggelet	D12/601
D882,508 S	*	4/2020	Herbeuval	D12/584
D883,191 S	*	5/2020	Tanaka	D12/600
D883,910 S	*	5/2020	Ashton	D12/600
D934,787 S	*	11/2021	Burnworth	D12/588

* cited by examiner

FIG. 1






FIG. 2





FIG. 3

FIG. 4






FIG. 5