



US00D967025S

(12) **United States Design Patent** (10) **Patent No.:** **US D967,025 S**
Nook et al. (45) **Date of Patent:** **** Oct. 18, 2022**

(54) **BATTERY CLAMP**

OTHER PUBLICATIONS

(71) Applicant: **THE NOCO COMPANY**, Glenwillow, OH (US)

Noco.com. GB20 Boost Sport 500A UltraSafe Lithium Jump Starter. <https://no.co/gb20>. Dec. 2016 (Year: 2016).*

(72) Inventors: **Jonathan Lewis Nook**, Gates Mills, OH (US); **William Knight Nook**, Shaker Heights, OH (US); **James Richard Stanfield**, Peoria, AZ (US); **Derek Michael Underhill**, Tempe, AZ (US)

Primary Examiner — Jennifer O King
(74) *Attorney, Agent, or Firm* — Vorys, Sater, Seymour and Pease LLP; Michael Messinger

(57) **CLAIM**

The ornamental design for a battery clamp, as shown and described.

DESCRIPTION

(73) Assignee: **THE NOCO COMPANY**, Glenwillow, OH (US)

FIG. 1 is a front perspective view of an inner part of a new design for a battery clamp;

(**) Term: **15 Years**

FIG. 2 is a left side elevational view thereof;

(21) Appl. No.: **29/665,718**

FIG. 3 is a right side elevational view thereof;

(22) Filed: **Oct. 5, 2018**

FIG. 4 is a front elevational view thereof;

(51) **LOC (13) Cl.** **13-03**

FIG. 5 is a rear elevational view thereof;

(52) **U.S. Cl.**

FIG. 6 is a top plan view thereof;

USPC **D13/120**

FIG. 7 is a bottom plan view thereof;

(58) **Field of Classification Search**

FIG. 8 is a front perspective view of the inner part of FIG. 1, fitted with an exterior part of the assembled battery clamp;

USPC D13/118, 119, 120, 103, 148, 149, 151, D13/199; D12/223

FIG. 9 is a left side elevational view thereof;

CPC H01R 11/24; H01R 11/281; H01R 11/283
See application file for complete search history.

FIG. 10 is a right side elevational view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,818 S *	4/1981	Johnson	D13/120
D304,928 S *	12/1989	Mize	D13/120
D597,029 S *	7/2009	Li	D13/120
D625,265 S *	10/2010	DuMelle	D13/120
D689,020 S *	9/2013	Demirjian	D13/120
D726,109 S *	4/2015	Nook	D13/120
D726,121 S *	4/2015	Nook	D13/148
D735,665 S *	8/2015	Nook	D13/120

FIG. 11 is a front elevational view thereof;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a top plan view thereof;

FIG. 14 is a bottom plan view thereof;


FIG. 15 is an perspective view of the inner part of the battery clamp shown in FIG. 1, a cable, and a nut for connecting the battery clamp and cable together;

FIG. 16 is another perspective view of the inner part of the battery clamp shown in FIG. 1, a cable, and a nut for connecting the battery clamp and cable together; and,

FIG. 17 is a perspective view of the inner part of the battery clamp shown in FIG. 1, a cable, and a nut for connecting the battery clamp and cable together.

The broken lines shown represent portions of the battery clamp that form no part of the claimed design.

1 Claim, 17 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D746,774 S * 1/2016 Nook D13/120
D800,666 S * 10/2017 Nook D13/148
D853,330 S * 7/2019 Dai D13/120
D889,411 S * 7/2020 Wang D13/120
11,114,777 B2 * 9/2021 Nook H01R 11/24
2015/0200470 A1 * 7/2015 Bertness G01R 31/364
324/754.05
2020/0335887 A1 * 10/2020 Nook H01R 11/282

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17