

US00D967507S

(12) **United States Design Patent** (10) **Patent No.:** **US D967,507 S**
Lee et al. (45) **Date of Patent:** **** Oct. 18, 2022**

(54) **LIGHT GUIDE PLATE USED IN KEYBOARD**

(71) Applicant: **GLOBAL LIGHTING TECHNOLOGY INC.**, Taoyuan (TW)

(72) Inventors: **Wen-Yu Lee**, Taoyuan (TW);
Chin-Hung Hsu, Taoyuan (TW);
Yung-Shin Chang, Taoyuan (TW)

(73) Assignee: **GLOBAL LIGHTING TECHNOLOGY INC.**, Taoyuan (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/762,711**

(22) Filed: **Dec. 17, 2020**

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/120**

(58) **Field of Classification Search**
USPC D26/24, 51, 61, 72, 74, 85, 86, 88, 89,
D26/90, 91, 92, 113, 118, 120-123
CPC F21S 8/00; F21S 8/006; F21S 8/026; F21S
8/04; F21S 8/06; F21V 3/00; F21V 3/02;
F21V 7/00; F21V 7/0008; F21V 7/005;
F21V 7/0083; F21V 7/04; F21V 7/045;
F21V 7/05; F21V 7/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,924,943 B2 * 8/2005 Minano G02B 3/08
359/743
7,239,444 B2 * 7/2007 Mizuno G03B 21/56
427/255.6
D564,699 S * 3/2008 Nakashima D26/120
D608,807 S * 1/2010 Chern D16/101
7,648,256 B2 * 1/2010 Shiratsuchi F21V 5/008
362/268

D623,674 S * 9/2010 Wei D16/101
D681,262 S * 4/2013 Lee D26/122
2004/0075994 A1 * 4/2004 Kuo G02B 6/0038
362/623

(Continued)

OTHER PUBLICATIONS

Graded-index Fresnel lenses for integrated optics, Copyright 1982, retrieved Aug. 1, 2022 from URL: <https://opg.optica.org/ao/fulltext.cfm?uri=ao-21-11-1966&id=25843> (Year: 1982).*

(Continued)

Primary Examiner — Richard Kearney

Assistant Examiner — Christina M. Dodson

(74) *Attorney, Agent, or Firm* — Fei-Hung Yang


(57) **CLAIM**

The ornamental design for a light guide plate used in keyboard, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light guide plate used in keyboard showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is another perspective view thereof; and, FIG. 9 is another front elevational view shown while in use. The broken lines showing portions of the light guide plate used in keyboard depict portions of the article and form no part of the claimed design. The broken lines showing LEDs in FIG. 9 depict environmental structure and form no part of the claimed design. The center lines showing on the surface of the light guide plate used in keyboard depict the article is transparent.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0165303 A1* 7/2007 Osawa G02B 3/08
359/457
2010/0226022 A1* 9/2010 Shen B29D 11/00269
359/742
2011/0149418 A1* 6/2011 Togino G02B 5/09
359/742
2014/0185322 A1* 7/2014 Liao G02B 6/0038
362/616

OTHER PUBLICATIONS

A review of recent advances in fabrication of optical Fresnel lenses,
first available Nov. 2021, retrieved Aug. 1, 2022 from URL:
<https://www.sciencedirect.com/science/article/pii/S1526612521006721> (Year: 2021).*

* cited by examiner




Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8



Fig. 9