



US00D967541S

(12) **United States Design Patent** (10) **Patent No.:** **US D967,541 S**
Auston (45) **Date of Patent:** **** Oct. 18, 2022**

(54) **WAIST PAD FOR A LOWER PORTION OF A HARNESS**

(71) Applicant: **CHECKMATE LIFTING & SAFETY LTD, Kent (GB)**

(72) Inventor: **Oliver Auston, Faversham (GB)**

(73) Assignee: **CHECKMATE LIFTING & SAFETY LTD, Kent (GB)**

(**) Term: **15 Years**

(21) Appl. No.: **29/708,209**

(22) Filed: **Oct. 4, 2019**

(51) **LOC (13) Cl.** **30-04**

(52) **U.S. Cl.**
USPC **D29/101.1**

(58) **Field of Classification Search**
USPC D29/100, 101.1, 101.5; D2/627;
D21/805

CPC . A62B 35/00; A62B 35/0006; A62B 35/0025;
A62B 35/0031; A41D 13/0525; A61F
5/0009

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,903,081 A * 3/1933 Wotherspoon A41F 9/002
D29/101.1
2,613,865 A * 10/1952 Rose A62B 35/00
297/472
D303,318 S * 9/1989 Clary D29/101.5
D333,193 S * 2/1993 Archambault D24/207
D351,051 S * 10/1994 Pearson D29/101.1
D355,748 S * 2/1995 Dancyger D29/101.5
5,388,274 A * 2/1995 Glover A61F 5/028
D29/100
5,399,151 A * 3/1995 Smith A61F 5/028
602/5

D374,313 S * 10/1996 Munoz D29/101.1
D375,186 S * 11/1996 Kim D29/100
5,586,969 A * 12/1996 Yewer, Jr. A61F 5/028
2/311
D418,948 S * 1/2000 London D29/101.1
D422,709 S * 4/2000 Caswell D2/624
D435,145 S * 12/2000 Lindsey D29/100
D447,603 S * 9/2001 Slautterback D29/101.3
D451,605 S * 12/2001 Snider D24/190
D499,846 S * 12/2004 Cesko D29/101.5
D501,078 S * 1/2005 Cabana D3/215
6,971,476 B2 12/2005 Wolner et al.

(Continued)

Primary Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Dicke, Billig & Czaja,
PLLC

(57) **CLAIM**

The ornamental design for a waist pad for a lower portion of a harness, as shown and described herein.

DESCRIPTION


FIG. 1 is a front perspective view of a waist pad for a lower portion of a harness showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a rear view thereof connected to a lower portion of a harness.

The right side elevational view is a mirror image of the left side.

The broken lines in FIGS. 1-6 depict portions of the waist pad for a lower portion of a harness that form no part of the claimed design.

The user's torso and legs shown in FIG. 7 and the remainder of the harness depict environmental subject matter that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D556,383	S *	11/2007	Petzl	D29/101.1
D633,255	S *	2/2011	Foreman	D29/101.1
D640,008	S	6/2011	Johnson et al.	
D641,524	S *	7/2011	Graham	D29/101.4
8,959,664	B2	2/2015	Johnson et al.	
D851,591	S *	6/2019	Mehra	D13/119
D855,893	S *	8/2019	Bookris	D29/101.4
D914,890	S *	3/2021	Langberg	D2/702
10,946,248	B1 *	3/2021	Rullo	A63B 27/00
2005/0192159	A1 *	9/2005	Jackson	A45F 3/14
				482/23
2009/0026012	A1 *	1/2009	Petzl	A62B 35/0025
				182/6
2011/0017546	A1 *	1/2011	Nichols, Jr.	A62B 35/0025
				182/3
2020/0114181	A1 *	4/2020	Monahan	A62B 35/0031
2021/0360994	A1 *	11/2021	Takada	A41D 13/0525
2022/0040510	A1 *	2/2022	Andrade	A62B 35/0018

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7