



US00D968046S

(12) **United States Design Patent**
Juneja et al.

(10) **Patent No.:** **US D968,046 S**

(45) **Date of Patent:** **** Oct. 25, 2022**

(54) **DRYING RACK**

(71) Applicant: **Benross Marketing Limited**, Liverpool (GB)

(72) Inventors: **Amit Juneja**, Liverpool (GB);
Mersadie Julienne, Liverpool (GB)

(73) Assignee: **Benross Marketing Limited**, Liverpool (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/771,119**

(22) Filed: **Feb. 19, 2021**

(51) **LOC (13) Cl.** **07-05**

(52) **U.S. Cl.**
USPC **D32/55; D32/58**

(58) **Field of Classification Search**
USPC D32/585, 276, 3; D6/510, 525;
D30/133; 211/41.5, 41.4, 41.3, 41.8;
312/311, 333, 334.4; D7/354, 629
CPC .. A47L 15/505; A47L 15/503; A47L 15/0013;
A47L 19/02; A47L 19/04; A47J 47/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|-------------|-------|--------|
| D322,698 S | * | 12/1991 | Cassel | | D32/58 |
| D417,536 S | * | 12/1999 | Sum | | D32/58 |
| D564,165 S | * | 3/2008 | King | | D32/58 |
| D650,542 S | * | 12/2011 | Kontorovich | | D32/58 |
| D720,908 S | * | 1/2015 | Ouyang | | D32/58 |
| D734,910 S | * | 7/2015 | Ouyang | | D32/58 |
| D801,613 S | * | 10/2017 | Felsenthal | | D32/58 |

| | | | | | |
|------------|---|--------|--------------|-------|--------|
| D825,128 S | * | 8/2018 | Nolen, Sr. | | D32/58 |
| D844,924 S | * | 4/2019 | Schauerhuber | | D32/58 |
| D923,274 S | * | 6/2021 | Cui | | D32/58 |
| D944,483 S | * | 2/2022 | Felsenthal | | D32/58 |

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Nutter McClennen & Fish LLP

(57) **CLAIM**

The ornamental design for a drying rack, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the drying rack in an open and retracted configuration.
 FIG. 2 is a rear view of the drying rack in an open and retracted configuration.
 FIG. 3 is a left-side view of the drying rack in an open configuration.
 FIG. 4 is a right-side view of the drying rack in an open configuration.
 FIG. 5 is a top view of the drying rack in an open and retracted configuration.
 FIG. 6 is a bottom view of the drying rack in an open and retracted configuration.
 FIG. 7 is a perspective view of the drying rack in a closed and retracted configuration.
 FIG. 8 is a perspective view of the drying rack in an open and retracted configuration; and,
 FIG. 9 is a perspective view of the drying rack in an open and extended configuration.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9