



US00D968181S

(12) **United States Design Patent**  
**Negron**

(10) **Patent No.:** **US D968,181 S**

(45) **Date of Patent:** **\*\* Nov. 1, 2022**

(54) **WRENCH COMBINATION DEVICE WITH EMBEDDED MAGNETS**

(71) Applicant: **Javier Negron**, Bronx, NY (US)

(72) Inventor: **Javier Negron**, Bronx, NY (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/750,387**

(22) Filed: **Sep. 14, 2020**

(51) **LOC (13) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/17**

(58) **Field of Classification Search**  
USPC ..... D26/113; D7/693; D8/1, 14-17, 19, D8/21-29, 61, 73, 105, 107, 366, 371, D8/372, 382, 384, 385, 388, 389, 499; 81/125.1  
CPC ..... B25B 13/08; B25B 23/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D13,434 S *	11/1882	Pope	.....	D8/28
D13,435 S *	11/1882	Pope	.....	D8/28
486,764 A *	11/1892	Carpenter	.....	B25B 13/08 81/186
D28,380 S *	3/1898	Stortz	.....	D8/17
D34,322 S *	4/1901	Talbot	.....	B25B 13/08 D8/26
914,199 A *	3/1909	Stiren	.....	B25B 13/08 7/138
942,993 A *	12/1909	Aronson	.....	B25B 13/08 81/184
1,802,832 A *	4/1931	Priddle	.....	B25B 13/08 81/186
D212,308 S *	9/1968	Selander	.....	D8/27

D289,373 S *	4/1987	Kimball	.....	D8/382
D304,899 S *	12/1989	Liu	.....	F41A 35/00 D8/23
D411,945 S *	7/1999	Chen	.....	D8/28
D448,981 S *	10/2001	Solanki	.....	D8/28
6,692,178 B2 *	2/2004	Yu	.....	B25B 13/005 403/92
D548,552 S *	8/2007	Elkaim	.....	F41A 35/00 D22/199
D689,351 S *	9/2013	Webb, Jr.	.....	B25B 13/08 D8/27
D861,444 S *	10/2019	Crozier	.....	B25B 13/08 D8/27
D900,568 S *	11/2020	Zimmer	.....	D8/21
2013/0213191 A1 *	8/2013	Harvey	.....	B25F 1/003 81/125

\* cited by examiner

*Primary Examiner* — Rachel A. Voorhies  
*Assistant Examiner* — Benjamin D. Wannemacher  
(74) *Attorney, Agent, or Firm* — MG Miller Intellectual Property Law LLC


(57) **CLAIM**

The ornamental design for a wrench combination device with embedded magnets, as shown and described.

**DESCRIPTION**

FIG. 1 shows a top and side perspective view of the wrench combination device with embedded magnets.  
FIG. 2 shows a bottom and side perspective thereof.  
FIG. 3 shows a top view thereof.  
FIG. 4 shows a bottom view thereof.  
FIG. 5 shows a side view thereof.  
FIG. 6 shows a reverse side view thereof.  
FIG. 7 shows a third side view thereof; and,  
FIG. 8 shows a fourth side view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8