



US00D968376S

(12) **United States Design Patent** (10) **Patent No.:** **US D968,376 S**
Kusyk (45) **Date of Patent:** **** Nov. 1, 2022**

(54) **SHUFFLE FOR OPTICALLY CONNECTING NODES AND DEVICES**

(71) Applicant: **ROCKPORT NETWORKS INC.,**
Kanata (CA)

(72) Inventor: **Richard Glenn Kusyk,** Ottawa (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/746,863**

(22) Filed: **Aug. 18, 2020**

(30) **Foreign Application Priority Data**

Jul. 21, 2020 (CA) CA 197048

(51) **LOC (13) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/240**

(58) **Field of Classification Search**

USPC D12/49; D13/11, 133, 146, 147, 152,
D13/158; D14/240

CPC H01R 13/627; H04B 10/503; H04L 41/22;
H04L 41/20; H05K 7/1492

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,849,986 A * 3/1932 Merk H01H 67/12
335/118

4,641,900 A * 2/1987 Japngie H01R 31/02
439/651

D895,561 S * 9/2020 Xiang D13/133

(Continued)

Primary Examiner — Khawaja Anwar
Assistant Examiner — Megan Tiana Rakos
(74) *Attorney, Agent, or Firm* — Gregory Smith

(57) **CLAIM**

The ornamental design for a shuffle for optically connecting nodes and devices, as shown and described.

DESCRIPTION

This application is related to the following U.S. Design application Ser. Nos. 29/741,755, 29/741,764, 29/741,777. FIG. 1 is a first embodiment of an upper, right side perspective view of the shuffle for optically connecting nodes and devices;

FIG. 2 is a lower, left side perspective view of the first embodiment thereof;

FIG. 3 is a front side view of the first embodiment thereof;

FIG. 4 is a back side view of the first embodiment thereof;

FIG. 5 is a left side view of the first embodiment thereof;

FIG. 6 is a right side view of the first embodiment thereof;

FIG. 7 is a top plan view of the first embodiment thereof;

FIG. 8 is a bottom plan view of the first embodiment thereof;

FIG. 9 is a second embodiment of an upper, right side perspective view of the shuffle for optically connecting nodes and devices;

FIG. 10 is a lower, left side perspective view of the second embodiment thereof;

FIG. 11 is a front side view of the second embodiment thereof;

FIG. 12 is a back side view of the second embodiment thereof;

FIG. 13 is a left side view of the second embodiment thereof;


FIG. 14 is a right side view of the second embodiment thereof;

FIG. 15 is a top plan view of the second embodiment thereof; and,

FIG. 16 is a bottom plan view of the second embodiment thereof.

The broken lines and shade lines do not form part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D901,390 S * 11/2020 Ma D13/147
D937,235 S * 11/2021 Xiang D13/133
D937,236 S * 11/2021 Xiang D13/133

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16