



US00D968683S

(12) **United States Design Patent**
Zimmer

(10) **Patent No.:** **US D968,683 S**

(45) **Date of Patent:** **** Nov. 1, 2022**

(54) **LIGHTING SYSTEM MOUNT**

(57) **CLAIM**

(71) Applicant: **Trent Zimmer**, Broussard, LA (US)

The ornamental design for a lighting system mount, as shown and described.

(72) Inventor: **Trent Zimmer**, Broussard, LA (US)

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/771,997**

(22) Filed: **Feb. 26, 2021**

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138; D3/327**

(58) **Field of Classification Search**
USPC D26/138, 113, 134, 180, 60, 142;
362/345; D3/327, 318, 323, 215;
D8/356, 358

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D546,555 S * 7/2007 Oner D3/215
D580,575 S * 11/2008 Shiu D26/60

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306055145 * 9/2020
KR 300940205 * 1/2018

OTHER PUBLICATIONS

ECEEN LED Reflective Vest USB Rechargeable Bright Safety Lights Belt, available in Amazon.com, date first available Jan. 8, 2020 [online], [site visited Aug. 25, 2022], Available from the internet URL: <https://a.co/d/2LhEBLy> (Year: 2020).*

Primary Examiner — Brett Miller


Assistant Examiner — Jasmine L. Comedy

(74) *Attorney, Agent, or Firm* — Asgaard Patent Services, LLC; F. Wayne Thompson, Jr.

FIG. 1 is a top isometric view of a first embodiment of a lighting system mount;
FIG. 2 is a bottom isometric view of the lighting system mount shown in FIG. 1;
FIG. 3 is a front side elevational view of the lighting system mount shown in FIG. 1;
FIG. 4 is a right side elevational view of the lighting system mount shown in FIG. 1;
FIG. 5 is a rear side elevational view of the lighting system mount shown in FIG. 1;
FIG. 6 is a left side elevational view of the lighting system mount shown in FIG. 1;
FIG. 7 is a top plan view of the lighting system mount shown in FIG. 1;
FIG. 8 is a bottom plan view of the lighting system mount shown in FIG. 1;
FIG. 9 is a top isometric view of a second embodiment of the lighting system mount;
FIG. 10 is a bottom isometric view of the lighting system mount shown in FIG. 9;
FIG. 11 is a front side elevational view of the lighting system mount shown in FIG. 9;
FIG. 12 is a right side elevational view of the lighting system mount shown in FIG. 9;
FIG. 13 is a rear side elevational view of the lighting system mount shown in FIG. 9;
FIG. 14 is a left side elevational view of the lighting system mount shown in FIG. 9;
FIG. 15 is a top plan view of the lighting system mount shown in FIG. 9; and,
FIG. 16 is a bottom plan view of the lighting system mount shown in FIG. 9.

The broken lines represent portions of the lighting system mount that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**

CPC F21V 21/14; F21V 15/01; F21V 21/30;
H01L 33/486; H01L 33/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D664,833 S *	8/2012	Warner	D8/358
D686,906 S *	7/2013	Vick	D8/356
D775,967 S *	1/2017	Lien	D8/356
D825,833 S *	8/2018	Rotenberg	D26/142
D867,109 S *	11/2019	Piskur	D8/358
D868,566 S *	12/2019	Ellard	D8/356
D945,863 S *	3/2022	Velenchenko	D8/356

* cited by examiner




FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10

FIG. 11




FIG. 12




FIG. 13





FIG. 14






FIG. 15




FIG. 16