US00D968989S

(12) **United States Design Patent**
Cegnar

(10) **Patent No.: US D968,989 S**
(45) **Date of Patent: ** Nov. 8, 2022**

(54) **INFLATABLE DEVICE PRESSURE GAUGE**

(71) Applicant: **Boonie Labs LLC**, Moscow, ID (US)

(72) Inventor: **Erik J. Cegnar**, Moscow, ID (US)

(73) Assignee: **Boonie Labs LLC**, Moscow, ID (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/772,544**

(22) Filed: **Mar. 2, 2021**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/85**; D23/233

(58) **Field of Classification Search**
USPC D10/85, 86, 102; D23/233, 245
CPC . G01L 19/0645; G01L 9/0041; G01L 19/083; G01L 19/086; G01L 19/12; G01L 17/00; B63B 7/08; B63B 7/085; B63B 71/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D248,404	S	*	7/1978	Henry	D23/236
4,478,587	A		10/1984	Mackal	
D309,938	S	*	8/1990	Schoepe	D23/236
5,644,074	A		7/1997	Huang	
5,939,627	A		8/1999	Huang	
D422,058	S		3/2000	Meredith	
D528,450	S	*	9/2006	Petrucelli	D10/86
D666,933	S		9/2012	Hoffman et al.	
D728,743	S		5/2015	Giles	
2005/0204807	A1		9/2005	Tseng	
2005/0252284	A1		11/2005	Wu	
2006/0217618	A1		9/2006	Lia et al.	
2007/0068239	A1		3/2007	Chen	
2017/0080761	A1		3/2017	King et al.	
2017/0087944	A1		3/2017	King et al.	
2017/0113498	A1		4/2017	King et al.	
2019/0204175	A1		7/2019	Cegnar et al.	

OTHER PUBLICATIONS

Cegnar et al., U.S. Appl. No. 62/612,468, filed Dec. 31, 2017, titled "Attachable Inflatable Craft Pressure Gauge", 14 pages.
Global Test Supply, "Weiss DUGY3-015-2L Solar-Powered Pressure Gauge, 15 psi, ½" NPT", availabie online at https://www.globaltestsupply.com/product/wesss-dugy3-015-2l-light- powered-pressure-gauge, 2 pages.

(Continued)

Primary Examiner — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Wells St. John P.S.

(57) **CLAIM**

I claim the ornamental design for an inflatable device pressure gauge, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of an inflatable device pressure gauge.
FIG. **2** is a top plan view of the inflatable device pressure gauge shown in FIG. **1**.
FIG. **3** is a front elevational view of the inflatable device pressure gauge shown in FIG. **1**. The rear elevational view of the inflatable device pressure gauge is the same as FIG. **3**.
FIG. **4** is a bottom plan view of the inflatable device pressure gauge shown in FIG. **1**.
FIG. **5** is a left side elevational view of the inflatable device pressure gauge shown in FIG. **1**. The right side elevational view of the inflatable device pressure gauge is the same as FIG. **5**; and,
FIG. **6** is a rear perspective view of the inflatable device pressure gauge shown in FIG. **1**.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

OTHER PUBLICATIONS

Leafield Marine, "D7 Installation and Service Instructions", available online at https://www.leafieldmarine.co.uk/Portals/ 0/Documents/ D7-Installation-and-Service-Instructions.pdf, Oct. 26, 2016, United Kingdom, 5 pages.
Maughan et al., Design U.S. Appl. No. 29/643,695, filed Apr. 11, 2018, titled "Attachable Inflatable Craft Pressure Gauge", 6 pages.
NRS, "K-Pump Kwik Check Standard Pressure Gauge", available online at https://www.nrs.com/product/80082.03/k-pump-kwik-check-standard-pressure-gauge, Mar. 1, 2021, 6 pages.
NRS, "NRS Mechanical Pressure Gauge", available online at https://www.nrs.com/product/17271/nrs-mechanical-pressure-gauge, Jan. 23, 2021, 2 pages.
RAVE Sports, "0-15 PSI Digital Pressure Gauge", available online at https://www.ravesports.com/products/0-15-psi-digital-pressure-gauge, Mar. 1, 2021, 2 pages.
River Gear, "Pressure Gauges bu Leafield for Rafts, Inflatable Boats, & SUP", available online at https://rivergear.com/produc/raft-inflatable-boat-pressure-gauge-by-leafield/?doing_wp_cron=1627085999.5340259075164794921875, Mar. 1, 2021, 3 pages.
Zoro, "Weiss Digital Solar Powered Thermometer, -50 Degrees to 300 Degrees F", available online at https://www.zoro.com/weiss-dsgital-solar-powered-thermometer-50-degrees-to-300-degrees-f-dvu6/i/G1226443/, 6 pages.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6