



US00D969633S

(12) **United States Design Patent**
Umair et al.

(10) **Patent No.:** **US D969,633 S**
(45) **Date of Patent:** **** Nov. 15, 2022**

(54) **TRACKING DEVICE**

(71) Applicant: **Tile, Inc.**, San Mateo, CA (US)

(72) Inventors: **Muhammad Umair**, Pleasanton, CA (US); **Winnie Wong**, Castro Valley, CA (US)

(73) Assignee: **Tile, Inc.**, San Mateo, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/772,463**

(22) Filed: **Mar. 2, 2021**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70; D10/106.9**

(58) **Field of Classification Search**
USPC D10/70, 106.9
CPC G08B 13/126; G08B 13/128; G08B 13/14;
G08B 13/1427; G08B 13/1409; G08B
13/1436; G08B 13/1445; G08B 13/1463;
G08B 13/1472; G08B 13/1481; G08B
13/149; G08B 13/2428; G08B 13/2434;
G08B 13/2437; G08B 21/24; G09F 3/18;
G09F 3/185; G09F 3/20; G09F 3/201;
G09F 3/202; G09F 3/203; G09F 3/204;
G09F 3/205; G09F 3/206; G09F 3/207;
G09F 3/208; G09F 3/005; A41D 1/02;
A44C 5/0015; A44C 5/02; A44C 5/14;
A61B 19/44; A61B 2019/446; A61B
71/00; A61B 5/02416; A61B 5/1118;
A61B 2/721; A61B 5/002; A61B 5/112;
A61B 5/1122; A61B 5/746; A61B
5/6823; A61B 5/72; A61B 5/7445; A61B
5/0022; A61B 5/14532; A63B 71/06;
A63B 26/00; A63B 24/0075; A63B
2071/0663; A63B 71/0686; A63B
24/0062; A63B 24/0084; A63B
2024/0068; A63B 2024/0078; A63B
2024/0056; A63B 2071/0625; A63B
2071/003; A63B 2071/063; A63B
2071/065; A63B 2071/068; A63B

2071/0675; A63B 2220/40; A63B
2220/803; A63B 2220/12; A63B 2220/20;
A63B 2220/22; A63B 2220/30; A63B
2225/50; A63B 2225/02; A63B 2225/06;
A63B 2230/75; A63B 2024/0065; A63B
2024/0081; A63B 2220/51; A63B
2220/62; A63B 2220/836; G06F 1/163;
G06F 3/038; G06F 3/03547; G04G 17/00;
G04G 17/08; G04G 17/04; G04G 21/02;
G04G 21/00; G04G 21/08;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D715,667 S * 10/2014 Shigeno D10/70
D723,957 S * 3/2015 Evans D10/70

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Fenwick & West LLP


(57) **CLAIM**

The ornamental design for a tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of a tracking device;
FIG. 2 is a bottom, rear, and left side perspective view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a front elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines in the drawings showing portions of the tracking device are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC G04B 37/1486; G06Q 10/00; G06Q 50/00;
G09B 9/00; G09B 19/00; G04F 10/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D790,996	S	*	7/2017	Farley	D10/70
D801,200	S	*	10/2017	Farley	D10/70
D804,971	S	*	12/2017	Heikkilä	D10/70
D817,198	S	*	5/2018	Farley	D10/70
D817,199	S	*	5/2018	Farley	D10/70
D819,469	S	*	6/2018	Farley	D10/70
D837,073	S	*	1/2019	Behar	D10/70
D837,671	S	*	1/2019	Behar	D10/70
D842,724	S	*	3/2019	Vandenbussche	D10/70
D854,433	S	*	7/2019	Vandenbussche	D10/70
D856,174	S	*	8/2019	Behar	D10/70
D859,187	S	*	9/2019	Behar	D10/70
D864,767	S	*	10/2019	Vandenbussche	D10/70
D866,370	S	*	11/2019	Wheaton	D10/70
D866,371	S	*	11/2019	Wheaton	D10/70
D871,240	S	*	12/2019	Burns	D10/70
D876,255	S	*	2/2020	Möller	D10/70
D879,627	S	*	3/2020	Behar	D10/70
D880,320	S	*	4/2020	Behar	D10/70
D881,048	S	*	4/2020	Wheaton	D10/70
D881,729	S	*	4/2020	Wheaton	D10/70
D894,023	S	*	8/2020	Barber	D10/70
D923,496	S	*	6/2021	Wheaton	D10/70
D935,916	S	*	11/2021	Wheaton	D10/70
D935,918	S	*	11/2021	Wheaton	D10/70
D937,108	S	*	11/2021	Wheaton	D10/70
D946,440	S	*	3/2022	Chen	D10/70

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8