



US00D969691S

(12) **United States Design Patent** (10) **Patent No.:** **US D969,691 S**
Golec (45) **Date of Patent:** **** Nov. 15, 2022**

(54) **BRAKE PAD**

D685,304 S * 7/2013 Moore D12/180
2019/0056007 A1* 2/2019 Moore B62L 1/005

(71) Applicant: **Marcin Golec**, London (GB)

* cited by examiner

(72) Inventor: **Marcin Golec**, London (GB)

Primary Examiner — Darlington Ly

(**) Term: **15 Years**

Assistant Examiner — D. Ryan Tisdale

(21) Appl. No.: **29/770,432**

(74) *Attorney, Agent, or Firm* — Mark M. Friedman

(22) Filed: **Feb. 12, 2021**

(57) **CLAIM**

(51) **LOC (13) Cl.** **12-16**

The ornamental design for a brake pad, as shown and described.

(52) **U.S. Cl.**

USPC **D12/180**

(58) **Field of Classification Search**

USPC D12/106, 114, 122, 179–180, 207, 400
CPC . B60T 7/00; B60T 8/265; B60T 11/00; B60T
11/103; B60T 13/00; B60T 13/66; B60T
17/223; B60T 2201/00; B60T 2201/03;
B60T 2260/00; B60T 2270/00; B60T
2270/82; B60T 2270/83; B60T 2270/84;
B60T 1/06; B62L 1/00; B62L 3/02; B62D
63/04; B62D 65/02; B62D 65/12; F16D
55/00; F16D 55/226; F16D 65/00
See application file for complete search history.

DESCRIPTION


FIG. 1 is a front perspective view of a brake pad, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a top left perspective view thereof.
The broken lines shown in the figures illustrate portions of the brake pad that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D641,670 S * 7/2011 Thomas D12/180

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7




Fig. 8