

D784,360 S	4/2017	Harder et al.	
D786,910 S	5/2017	Higuchi et al.	
D787,529 S	5/2017	Huang	
9,656,640 B1	5/2017	Verhoff et al.	
D789,959 S	6/2017	Hoang et al.	
D791,153 S	7/2017	Rice et al.	
D791,164 S	7/2017	Rice et al.	
D792,426 S	7/2017	Theodore et al.	
D795,902 S	8/2017	Ahmad et al.	
D795,904 S	8/2017	Pei et al.	
D796,523 S	9/2017	Bhandari et al.	
D797,128 S	9/2017	Shewman	
D797,768 S	9/2017	Shewman	
D801,355 S	10/2017	Hoang et al.	
D801,371 S	10/2017	Dahlen	
D801,989 S	11/2017	Iketsuki et al.	
D803,851 S	11/2017	Vazquez	
D803,852 S	11/2017	Hoffman	
9,811,350 B2 *	11/2017	Steinberg	G06F 9/451
D804,498 S	12/2017	Akatsu et al.	
D805,093 S	12/2017	Tanii et al.	
D805,526 S	12/2017	Ternoey	
D805,537 S	12/2017	Maffetone et al.	
D806,720 S	1/2018	Sirpal et al.	
D807,900 S	1/2018	Raji et al.	
D807,902 S	1/2018	Cong et al.	
D808,989 S	1/2018	Ayvazian et al.	
D808,996 S	1/2018	Ambielli	
D810,094 S	2/2018	Matsuda	
D810,769 S	2/2018	Zhou et al.	
D811,425 S	2/2018	Olsen et al.	
10,764,298 B1 *	9/2020	Light	H04L 63/1408
10,783,548 B1 *	9/2020	Bhowmick	G06Q 30/0242
D905,713 S *	12/2020	Linsmeier	D14/486
D935,479 S *	11/2021	Katou	D14/486
2004/0002794 A1	1/2004	Pillar et al.	
2004/0199302 A1	10/2004	Pillar et al.	
2004/0245039 A1	12/2004	Braun et al.	
2005/0234622 A1	10/2005	Pillar et al.	
2006/0143674 A1 *	6/2006	Jones	H04N 21/25891 725/135
2006/0192361 A1	8/2006	Anderson et al.	
2006/0249325 A1	11/2006	Braun et al.	
2008/0114513 A1	5/2008	Pillar et al.	
2008/0270931 A1 *	10/2008	Bamford	G06F 3/0485
2009/0033044 A1	2/2009	Linsmeier	
2009/0174158 A1	7/2009	Anderson et al.	
2010/0153848 A1 *	6/2010	Saha	G06F 16/9562 715/721
2010/0192105 A1 *	7/2010	Kim	G06F 3/04886 715/834
2011/0060666 A1 *	3/2011	Gromek	G06F 3/0482 705/27.2
2011/0102421 A1 *	5/2011	Minamino	G06F 3/0482 345/419
2011/0249073 A1 *	10/2011	Cranfill	G06F 3/0482 348/14.02
2011/0320529 A1 *	12/2011	Mentchoukov	G06F 3/04847 709/203
2012/0036435 A1 *	2/2012	Yang	G06F 3/0485 715/702
2013/0113823 A1 *	5/2013	Umezawa	H04N 1/00424 345/619
2014/0298233 A1 *	10/2014	Petty	G06F 3/04847 715/771
2015/0128042 A1 *	5/2015	Churchill	H04N 21/4438 715/718
2015/0232269 A1	8/2015	Hou	
2017/0253221 A1	9/2017	Verhoff et al.	

FOREIGN PATENT DOCUMENTS

EP	1 633 619 B1	6/2004
GB	2 400 588 A	1/2005
GB	2 400 589 A	2/2005
GB	2 400 590 A	3/2005

HK	1088583	10/2007
WO	WO-2004/110849	12/2004
WO	WO-2006/093835	9/2006

OTHER PUBLICATIONS

“Maintaining Mobility” Apr. 1, 2011, posted at aerodefensetech.com, [site visited Jun. 7, 2022]. <https://www.aerodefensetech.com/component/content/article/adt/supplements/rfm/features/applications/9742> (Year: 2011).*

* cited by examiner

Primary Examiner — John M Otte

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(57) CLAIM

We claim the ornamental design for a display screen or portion thereof with graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a display screen or portion thereof with graphical user interface showing our new design;
 FIG. 2 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 3 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 4 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 5 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 6 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 7 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 8 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 9 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 10 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 11 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 12 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 13 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 14 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 15 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 16 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 17 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 18 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 19 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 20 is a front view of the design of FIG. 1 shown in a different environment;
 FIG. 21 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 22 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 23 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 24 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 25 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 26 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 27 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 28 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 29 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 30 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 31 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 32 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 33 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 34 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 35 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 36 is a front view of the design of FIG. 1 shown in a different environment;

FIG. 37 is a front view of the design of FIG. 1 shown in a different environment; and,

FIG. 38 is a front view of the design of FIG. 1 shown in a different environment.

The outermost broken lines in the Figures illustrate a display screen or portion thereof and form no part of the claimed design. The other broken lines in the Figures illustrate portions of the graphical user interface that form no part of the claimed design.

1 Claim, 20 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33

UNIT SELECTION

QUICK SELECTION

US ENGLISH UNITS

METRIC UNITS

SPEED SELECTION

KPH

MPH

PRESSURE SELECTION

KPa

PSI

TEMPERATURE SELECTION

Celsius

Fahrenheit

LENGTH SELECTION

Centimeters

Inches

BACK

HOME

DRIVE

SUSPENSION

CTIS

POWER MANAGEMENT

FIG. 34

POWERTRAIN SELECTION

ENGINE STATUS

AXLE STATUS

TRANSMISSION STATUS

BACK

HOME

DRIVE

SUSPENSION

CTIS

POWER MANAGEMENT

FIG. 35




FIG. 36




FIG. 37




FIG. 38