



US00D970910S

(12) **United States Design Patent**
Liu

(10) **Patent No.:** **US D970,910 S**

(45) **Date of Patent:** **** Nov. 29, 2022**

(54) **CHILD SAFETY SEAT**

(71) Applicant: **China Wonderland Nurserygoods Co., Ltd.**, Guangdong (CN)

(72) Inventor: **Weihuan Liu**, Guangdong (CN)

(73) Assignee: **China Wonderland Nurserygoods Co., Ltd.**, Guangdong (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/796,543**

(22) Filed: **Jun. 24, 2021**

(30) **Foreign Application Priority Data**

Dec. 29, 2020 (CN) 202030814453.4

(51) **LOC (13) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/333**

(58) **Field of Classification Search**

USPC D6/334-336, 338-339, 491, 333, 716, D6/716.1-716.7; D12/129; D21/412, D21/419; 280/30-31; 5/94, 98.1, 99.1, 5/101, 105, 655; 297/183.1-183.4, 297/184.13, 184.15, 184.17, 250.1, 256.1, 297/255, 256.15, 256.16, 174 R, 174 CS, 297/170-173, 136, 148, 27, 61, 68; 4/572.1
CPC A47D 13/02; A47D 13/10; A47D 1/00; A47D 1/002; A47D 1/004; B60N 2/22; B60N 2/24; A47C 7/021; A47C 7/022; A47C 7/002; A47C 7/18; A47C 7/24; A47C 3/00; A47C 3/02; A47C 3/025; A47C 3/20; A47C 1/00; A47C 1/02; A47C 1/04; A47C 1/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D841,346 S * 2/2019 Huntley D6/333
D859,858 S * 9/2019 Imrich D6/333

D938,171 S * 12/2021 Duan D6/333
D943,295 S * 2/2022 Zhao D6/333
D959,861 S * 8/2022 Duan D6/333

FOREIGN PATENT DOCUMENTS

CN 306015784 S 8/2020
CN 306088907 S 10/2020
JP 1620420 12/2018
KR 30-05707270001 12/2010

* cited by examiner

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Winston Hsu

(57) **CLAIM**



The ornamental design for a child safety seat, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a child safety seat, showing my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a top, front, right side perspective view of the child safety seat of FIG. 1, shown in a condition of use.
FIG. 9 is a front elevation view thereof;
FIG. 10 is a rear elevation view thereof;
FIG. 11 is a left side elevation view thereof; and,
FIG. 12 is a right side elevation view thereof.

The broken lines depict portions of the child safety seat that form no part of the claimed design. The broken lines showing a handle in FIG. 8-12 depict environmental subject matter that forms no part of the claimed design.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12