



US00D971038S

(12) **United States Design Patent** (10) **Patent No.:** **US D971,038 S**  
**Ishii** (45) **Date of Patent:** **\*\* Nov. 29, 2022**(54) **LEVEL INDICATOR FOR SURVEY**(71) Applicant: **Topcon Corporation**, Tokyo (JP)G01C 21/12; G01C 21/34; G01C 21/343;  
G01C 21/3641; G01C 21/3446; G01C  
5/04; G01C 7/04

See application file for complete search history.

(72) Inventor: **Mitsuo Ishii**, Tokyo (JP)

(56)

**References Cited**(\*\*) Term: **15 Years****U.S. PATENT DOCUMENTS**(21) Appl. No.: **35/512,321**D389,759 S \* 1/1998 Taylor ..... D10/78  
D395,835 S \* 7/1998 Okuyama ..... D10/85  
D400,457 S \* 11/1998 Wrisley ..... D10/78  
D404,664 S \* 1/1999 Wrisley ..... D10/78  
D445,702 S \* 7/2001 Hughes ..... D10/78  
D446,135 S \* 8/2001 Chen ..... D10/78  
D497,817 S \* 11/2004 Lord ..... D10/78  
D510,533 S \* 10/2005 Hoofnagle ..... D10/78  
D518,396 S \* 4/2006 Jopling ..... D10/80  
D543,475 S \* 5/2007 Janky ..... D10/78

(Continued)

(22) Filed: **Feb. 2, 2021**(80) **Hague Agreement Data**Int. Filing Date: **Feb. 2, 2021**Int. Reg. No.: **DM/212700**Int. Reg. Date: **Feb. 2, 2021**Int. Reg. Pub. Date: **Aug. 6, 2021**(51) **LOC (13) Cl.** ..... **10-04**(52) **U.S. Cl.**USPC ..... **D10/69**(58) **Field of Classification Search**USPC ..... D10/70, 81, 78, 106.1, 46, 80, 47, 103,  
D10/56, 52, 53, 65, 77; D13/199CPC ..... G01C 15/002; G01C 15/00; G01C 15/06;  
G01C 11/02; G01C 21/16; G01C 15/004;  
G01C 11/00; G01C 21/165; G01C 15/04;  
G01C 11/025; G01C 19/02; G01C 13/00;  
G01C 1/04; G01C 11/04; G01C 21/20;  
G01C 21/203; G01C 1/02; G01C 15/006;  
G01C 3/08; G01C 15/02; G01C 15/08;  
G01C 19/38; G01C 21/00; G01C 5/00;  
G01C 19/56; G01C 21/206; G01C 9/06;  
G01C 11/06; G01C 15/008; G01C  
21/3826; G01C 11/08; G01C 11/18;  
G01C 13/006; G01C 13/008; G01C  
15/10; G01C 19/00; G01C 2009/068;  
G01C 21/005; G01C 21/3492; G01C  
25/00; G01C 25/005; G01C 3/02; G01C  
3/04; G01C 9/00; G01C 11/10; G01C  
13/004; G01C 17/00; G01C 17/34; G01C  
19/5776; G01C 19/5783; G01C 2009/066;**OTHER PUBLICATIONS**Topcon LS-80X Long Range Leveling Laser Receiver Sensor, date first available Dec. 9, 2021, (online) URL: [https://www.amazon.com/Leveling-Receiver-without-Bracket-Replaces/dp/B09NCBPNX2/ref=sr\\_1\\_4?](https://www.amazon.com/Leveling-Receiver-without-Bracket-Replaces/dp/B09NCBPNX2/ref=sr_1_4?) (Year: 2021).\**Primary Examiner* — George D. Kirschbaum*Assistant Examiner* — Antoinette Martine Suiter(57) **CLAIM**

The ornamental design for a level indicator for survey, as shown and described.

**DESCRIPTION**

1. Level indicator for survey

1.1 : Perspective

1.2 : Perspective

1.3 : Front

1.4 : Top


1.5 : Bottom

1.6 : Right

1.7 : Left

1.8 : Back

(Continued)



The broken lines represent portions of the article that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**

(56)


**References Cited**

**U.S. PATENT DOCUMENTS**


D566,592	S	*	4/2008	Nelson .....	D10/103
D574,270	S	*	8/2008	Bell .....	D10/70
D614,517	S	*	4/2010	Janky .....	D10/80
D637,507	S	*	5/2011	Silverio .....	D10/78
D651,105	S	*	12/2011	Teo .....	D10/78
D660,187	S	*	5/2012	Chen .....	D10/47
D661,209	S	*	6/2012	Janky .....	D10/78
D675,947	S	*	2/2013	Janky .....	D10/78
D680,011	S	*	4/2013	Chen .....	D10/97
D714,171	S	*	9/2014	Hoofnagle .....	D10/78
D725,522	S	*	3/2015	Kousuge .....	D24/186
D745,167	S	*	12/2015	Canas .....	D24/186
D754,554	S	*	4/2016	Richer .....	D10/78
D768,586	S	*	10/2016	Christianson .....	D13/184
D773,326	S	*	12/2016	Lei .....	D10/78
D793,257	S	*	8/2017	Gao .....	D10/78
D837,075	S	*	1/2019	Lu .....	D10/78
D838,612	S	*	1/2019	Xie .....	D10/78
D839,114	S	*	1/2019	Xie .....	D10/78
D843,250	S	*	3/2019	Misson .....	D10/78
D845,154	S	*	4/2019	Yu .....	D10/78
D850,952	S	*	6/2019	Tsukamaki .....	D10/78
D861,509	S	*	10/2019	Lee .....	D10/70
D862,258	S	*	10/2019	Howell .....	D10/78
D919,463	S	*	5/2021	Hoofnagle .....	D10/78
D924,706	S	*	7/2021	Lan .....	D10/78
D937,109	S	*	11/2021	Wang .....	D10/78

\* cited by examiner


**1.1**




**1.2**




**1.3**




**1.4**




**1.5**



**1.6**



**1.7**



**1.8**

