



US00D971144S

(12) **United States Design Patent**
Wang et al.

(10) **Patent No.:** **US D971,144 S**

(45) **Date of Patent:** **** Nov. 29, 2022**

(54) **BATTERY CHARGER**

(71) Applicant: **SHENZHEN XINGYINGDA INDUSTRY CO., LTD.**, Shenzhen (CN)

(72) Inventors: **Jun Wang**, Shenzhen (CN); **Yan Ke**, Shenzhen (CN)

(73) Assignee: **SHENZHEN XINGYINGDA INDUSTRY CO., LTD.**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/847,055**

(22) Filed: **Jul. 21, 2022**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/107, 108, 110, 118, 119, 184, 199;
D14/251, 253, 432, 434
CPC H02J 7/025; H02J 7/005; H02J 7/0026;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0013; H02J 7/0003; H02J 50/10;
H02J 50/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D278,426 S *	4/1985	Lanci	D13/107
D350,540 S *	9/1994	Hyvonen	D14/149
D601,953 S *	10/2009	Asai	D13/107
D607,403 S *	1/2010	Hara	D13/107
D687,770 S *	8/2013	Rabalais	D13/107
D692,824 S *	11/2013	Fiaschetti	D13/108
D718,710 S *	12/2014	Rabalais	D13/107
D749,042 S *	2/2016	Gecawicz	D13/107
D755,122 S *	5/2016	Gecawicz	D13/107

D765,595 S *	9/2016	Shaanan	D13/107
D782,974 S *	4/2017	Ju	D13/108
D816,028 S *	4/2018	Chen	D13/108
D820,782 S *	6/2018	Wang	D13/107
D820,783 S *	6/2018	Gelder	D13/107
D822,597 S *	7/2018	Wai Hung	D13/107
D846,497 S *	4/2019	Clark	D13/108
D895,545 S *	9/2020	Singer	D13/108
D900,732 S *	11/2020	Sexton	D13/107
D926,679 S *	8/2021	Yang	D13/108
D931,803 S *	9/2021	Ge	D13/107
D946,505 S *	3/2022	Birkholz	D13/107
D956,687 S	7/2022	Huang	
D957,323 S	7/2022	Zhang et al.	
D957,337 S *	7/2022	Chen	D13/119
D964,273 S *	9/2022	Uchida	D13/108
D964,929 S *	9/2022	Maeda	D13/108
D967,019 S *	10/2022	Parcon	D13/108

* cited by examiner

Primary Examiner — Christy Nemeth

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a front, right and top perspective view of a battery charger, showing our design.

FIG. 2 is a rear, left and bottom perspective view thereof.

FIG. 3 is a front elevation view thereof.

FIG. 4 is a rear elevation view thereof.

FIG. 5 is a left side elevation view thereof.


FIG. 6 is a right side elevation view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines shown in the drawings are included for the purpose of illustrating portions of the battery charger that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8