



US00D971283S

(12) **United States Design Patent**
Sun

(10) **Patent No.:** **US D971,283 S**

(45) **Date of Patent:** **** Nov. 29, 2022**

(54) **GREASE FITTING CLEANING TOOL**

(71) Applicant: **Lijiang Sun**, Hangzhou (CN)

(72) Inventor: **Lijiang Sun**, Hangzhou (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/849,094**

(22) Filed: **Aug. 8, 2022**

(30) **Foreign Application Priority Data**

Jul. 28, 2022 (CN) 202230485844.5

(51) **LOC (13) Cl.** **09-09**

(52) **U.S. Cl.**
USPC **D15/150**

(58) **Field of Classification Search**
USPC D15/150; D8/14.1, 21, 29, 85, 86, 499
CPC F16H 57/0464; F16H 57/0469; F16H
57/0475; F16H 57/0479; B25B 13/48;
B25B 13/481; B60R 17/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,867,372 A * 7/1932 McGuckin B25B 13/48
81/124.2
- 2,748,410 A * 6/1956 Chapman F16N 33/00
15/236.08
- 4,947,713 A * 8/1990 Arnold B25B 23/00
81/184
- D329,795 S * 9/1992 Bird D8/86
- D375,967 S * 11/1996 Michener D15/150
- D390,579 S * 2/1998 Michener D15/150
- D400,769 S * 11/1998 Duke D8/21
- D431,984 S * 10/2000 Cotillon D8/29
- D432,878 S * 10/2000 Gray D8/40
- D489,589 S * 5/2004 Wiljanen D8/21
- D497,698 S * 10/2004 Vinci D32/35
- D500,646 S * 1/2005 Butler, Sr. D8/107

- D739,695 S * 9/2015 Chang D8/21
 - D776,504 S * 1/2017 Lee D8/29
 - D937,060 S * 11/2021 Peng D8/29
 - D959,521 S * 8/2022 Abrams D15/139
 - D964,831 S * 9/2022 Hu D8/29
 - 2015/0114673 A1* 4/2015 De Carufel B60T 7/10
173/1
 - 2016/0375564 A1* 12/2016 Nassab B25B 15/02
81/57.3
 - 2019/0283220 A1* 9/2019 Blanchette B25B 13/5091
- (Continued)

OTHER PUBLICATIONS

Grease Buster Tools, The Original Grease Buster, (first available Mar. 14, 2016), Amazon.com, URL:<<https://www.amazon.com/Original-Grease-penetrating-hydraulic-pressure/dp/B01CYMY7ZA>> (Year: 2016).*

(Continued)

Primary Examiner — Calvin E Vansant
Assistant Examiner — Mark T. Philipps
(74) *Attorney, Agent, or Firm* — Georgi Korobanov


(57) **CLAIM**

The ornamental design for a grease fitting cleaning tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a grease fitting cleaning tool, showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is an enlarged top plan view thereof;
FIG. 8 is an enlarged bottom plan view thereof; and,
FIG. 9 is an enlarged view of portion 9 shown in FIG. 1.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2021/0146509 A1* 5/2021 Blanchette B25B 13/5091
2022/0040825 A1* 2/2022 Whittleton B25B 23/0021

OTHER PUBLICATIONS

Innovative Products of America, IPA—Grease Joint Rejuvenator Professional Model (7862H), (first available Jan. 12, 2012), Amazon.com, URL:<<https://www.amazon.com/Innovative-Products-America-7862H-Rejuvenator/dp/B0000AXDB3>> (Year: 2012).*

Framon, Metal Key Grip—Key Impressioning for Lockpicking, (site visited Sep. 28, 2022), lockpickworld.com, URL:<<https://www.lockpickworld.com/collections/key-impressioning/products/framon-key-grip>> (Year: 2022).*

Light Pole Covers, 1/4-20 x2" Penta-Plus Security Screw—Stainless Steel, (site visited Sep. 28, 2022), Lightpolecovers.com, URL:<<https://lightpolecovers.com/1-4-20-x-2-penta-plus-security-screw-stainless-steel/>> (Year: 2022).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9