



US00D971751S

(12) **United States Design Patent**
Harvey

(10) **Patent No.:** **US D971,751 S**

(45) **Date of Patent:** **** Dec. 6, 2022**

(54) **BUILDING SENSOR**

(71) Applicant: **PassiveLogic, Inc.**, Holladay, UT (US)

(72) Inventor: **Troy Aaron Harvey**, Brighton, UT (US)

(73) Assignee: **PASSIVELOGIC, INC.**, Holladay, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/748,481**

(22) Filed: **Aug. 28, 2020**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/49; D10/51; D10/53; D10/70;**
D13/168

(58) **Field of Classification Search**
USPC **D10/49, 50, 51, 52, 53, 54, 55, 56, 70,**
D10/85, 102; D13/162, 162.1, 168, 177,
D13/184

CPC **H01H 2223/00; H01H 2223/002; H01H**
2223/003; H01H 2223/004; H01H
2223/006; H01H 2223/008; H01H
2223/01; H01H 2223/012; H01H
2223/014; H01H 2223/016; H01H
2223/018; H01H 2223/02; H01H
2223/022; H01H 2223/024; H01H
2223/026; H01H 2223/028; H01H
2223/03; H01H 2223/032; H01H
2223/034; H01H 2223/0345; H01H
2223/036; H01H 2223/038; H01H
2223/04; H01H 2223/042; H01H
2223/044; H01H 2223/046; H01H
2223/048; H01H 2223/05; H01H
2223/052; H01H 2223/054; H01H
2223/056; H01H 2223/058; H01H
2223/06; H01H 2223/062; H01H 37/04;
H01H 37/08; H01H 37/12; H01H 37/14;
H01H 37/16; H01H 37/18; H01H 37/20;
H01H 37/22; H01H 37/24; H01H 37/26;
H01H 37/28; H01H 37/30; G01N 1/2273;

G01N 2001/2276; G01N 2001/2279;
G01N 7/00; G01N 7/02; G01N 7/04;
G01N 7/06; G01N 7/08; G01N 7/10;
G01N 7/12; G01N 7/14; G01N 7/16;
G01N 7/18; G01N 7/20; G01N 7/22;
G01N 1/22-1/2294; G01N
2001/2217-2001/2297; G01N 25/56;
G01N 27/122; G01N 33/004-33/0075;
H04B 17/23; H04W 88/00; H04W
88/005; H04W 88/08; H04W 88/02;
H04W 88/021; H04W 88/022; H04W
88/023; H04W 88/025; H04W 88/026;
H04W 88/027; H04W 88/028; H04W
88/04; H04W 88/06; H04W 88/085;
H04W 88/10; H04W 88/12; H04W 88/14;
H04W 88/16; H04W 88/18;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D746,166 S * 12/2015 Li D10/104.1
D766,844 S * 9/2016 Turksu D10/104.1

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Kunzler Bean & Adamson


(57) **CLAIM**

The ornamental design for a building sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a building sensor;
FIG. 2 is a front view of the building sensor;
FIG. 3 is a rear view of the building sensor;
FIG. 4 is a left view of the building sensor;
FIG. 5 is a right view of the building sensor;
FIG. 6 is a top view of the building sensor; and,
FIG. 7 is a bottom view of the building sensor.

(Continued)



The dash type broken lines in the Figures are for the purpose of illustrating unclaimed portions of the building sensor and form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(58) Field of Classification Search

CPC H04W 88/181; H04W 88/182; H04W
88/185; H04W 88/187; H04W 88/188;
H02B 1/052

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D779,977 S *	2/2017	Jacob	D10/50
D783,422 S *	4/2017	Kashimoto	D10/50
D786,724 S *	5/2017	Seagle, Jr.	D10/70
D790,372 S *	6/2017	Daoura	G01R 31/26 D10/104.1
D796,355 S *	9/2017	Cho	D10/70
D812,577 S *	3/2018	Turksu	D10/104.1
D819,460 S *	6/2018	Fadell	G01R 31/26 D10/50
D826,748 S *	8/2018	Kim	D10/70
D854,950 S *	7/2019	Seum	D10/101
D911,191 S *	2/2021	Qi	D10/50

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7