



US00D972293S

(12) **United States Design Patent** (10) **Patent No.:** **US D972,293 S**
Dumas (45) **Date of Patent:** **** Dec. 13, 2022**

(54) **BAG**

(71) Applicant: **HERMES SELLIER (Société par actions simplifiée)**, Paris (FR)

(72) Inventor: **Pierre-Alexis Dumas**, Paris (FR)

(**) Term: **15 Years**

(21) Appl. No.: **35/512,504**

(22) Filed: **Mar. 10, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **Mar. 10, 2021**

Int. Reg. No.: **DM/213177**

Int. Reg. Date: **Mar. 10, 2021**

Int. Reg. Pub. Date: **Sep. 10, 2021**

(51) **LOC (13) Cl.** **03-01**

(52) **U.S. Cl.**

USPC **D3/246**

(58) **Field of Classification Search**

USPC **D3/232, 234-235, 244-246**

CPC .. **A45C 1/024; A45C 1/02; A45C 1/06; A45C 3/04; A45C 3/06; A45C 3/08; A45C 13/02; A45C 13/06; A45C 13/08**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D260,200 S *	8/1981	Siegel	D3/246
D460,622 S *	7/2002	Wong	D3/232
D489,901 S *	5/2004	Haire	D3/303
D490,610 S *	6/2004	Haire	D3/303
D549,400 S *	8/2007	Gold	D3/232
D731,173 S *	6/2015	Kim	D3/232
D815,432 S *	4/2018	Dumas	D3/244
D821,750 S *	7/2018	Sander	D3/318
D871,061 S *	12/2019	Bertrand	D3/243
D907,922 S *	1/2021	Dooling	D3/283

OTHER PUBLICATIONS

ASOS Design tote bag with faux shearling trim in black, unknown first available date, asos.com [online], [site visited Aug. 22, 2022], Available at URL: <https://www.asos.com/us/asos-design/asos-design-tote-bag-with-faux-shearling-trim-in-black/prd/200441907> (Year: 2022).*

* cited by examiner

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Caitlin A Laverty

(57) **CLAIM**

The ornamental design for a bag, as shown and described.

DESCRIPTION

- 1. Bag
- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Right
- 1.5 : Left
- 1.6 : Top
- 1.7 : Bottom
- 1.8 : Perspective second configuration
- 1.9 : Perspective third configuration

The bag comprises a substantially parallelepiped-shaped body with a flat base and with an upper edge and middle edge made of fur or the like; two parallel bands are sewn vertically to the front and back side of the bag, from the base to the intermediate edge, from which they are folded and their longitudinal edges are sewn together forming the two handles of the bag; near the upper edge, at the center of the front and back walls, the body of the bag is provided with the male and female parts of a press stud for centrally closing the body opening; the male and female parts of two other press studs are provided on the sides of the body, enabling to reduce the size of the ends of said opening.

1 Claim, 9 Drawing Sheets



1.1



1.2



1.3




1.4




1.5



1.6



1.7



1.8



1.9

