



US00D972508S

(12) **United States Design Patent** (10) **Patent No.:** **US D972,508 S**
Ke (45) **Date of Patent:** **** Dec. 13, 2022**

(54) **EMERGENCY POWER SUPPLY**
(71) Applicant: **SHENZHEN BILLDA TECHNOLOGY CO., LTD**, Shenzhen (CN)
(72) Inventor: **Jianjun Ke**, Shenzhen (CN)
(73) Assignee: **SHENZHEN BILLDA TECHNOLOGY CO., LTD**, Shenzhen (CN)

D528,980 S * 9/2006 Kobayashi D13/133
D530,277 S * 10/2006 Lin D13/110
D544,834 S * 6/2007 Weinstein D13/110
D575,225 S * 8/2008 Ahlgren D13/107
D581,356 S * 11/2008 Ahlgren D13/107
D610,986 S * 3/2010 Chen D13/101
D617,267 S * 6/2010 Li D13/107
D733,046 S * 6/2015 Shin D13/107
D778,236 S * 2/2017 Broadhurst, IV D13/107
D800,653 S * 10/2017 Smiedt D13/107

(**) Term: **15 Years**
(21) Appl. No.: **29/787,808**
(22) Filed: **Jun. 8, 2021**

(30) **Foreign Application Priority Data**
Mar. 25, 2021 (CN) 202130164565.4
(51) **LOC (13) Cl.** **13-02**
(52) **U.S. Cl.**
USPC **D13/110**
(58) **Field of Classification Search**
USPC D13/102, 103, 106-108, 110, 118-120,
D13/154, 156, 184, 199; D14/250
CPC H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0047; H02J 7/0003; H02J
7/00047; H02J 7/0013; H02J 7/0027;
H02J 1/122; H02J 7/00; B60R 16/033;
H01M 10/44; H01M 10/46
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D163,616 S * 6/1951 Levy D13/110
D200,859 S * 4/1965 Giegerich D13/110
D200,860 S * 4/1965 Beresk D13/110
D464,934 S * 10/2002 Chen D13/110
D526,960 S * 8/2006 Kobayashi D13/133

OTHER PUBLICATIONS

“30W Led Light Emergency Backup Battery for 80-300w UFO highbay Fixture Rechargeable >90 Min Emergent Time 0/1-10V dimmable Driver Lamp 100-347VAC Suspended Mount(30W 120-180vDC)”, Amazon.com, first available on Apr. 24, 2018. (Year: 2018). <<https://www.amazon.com/Emergency-Rechargeable-100-347VAC-Suspended-120-180vDC/dp/B092ZPGZKF/>>.*

* cited by examiner

Primary Examiner — Rosemary K Tarcza


(57) **CLAIM**

The ornamental design for an emergency power supply, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an emergency power supply showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines in the drawings depict portions of the emergency power supply that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8