US00D972508S

(12) United States Design Patent
Ke

(10) Patent No.: US D972,508 S
(45) Date of Patent: ** Dec. 13, 2022

(54) **EMERGENCY POWER SUPPLY**

(71) Applicant: **SHENZHEN BILLDA TECHNOLOGY CO., LTD**, Shenzhen (CN)

(72) Inventor: **Jianjun Ke**, Shenzhen (CN)

(73) Assignee: **SHENZHEN BILLDA TECHNOLOGY CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/787,808**

(22) Filed: **Jun. 8, 2021**

(30) **Foreign Application Priority Data**

Mar. 25, 2021 (CN) 202130164565.4

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**
USPC D13/102, 103, 106–108, 110, 118–120, D13/154, 156, 184, 199; D14/250
CPC H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0047; H02J 7/0003; H02J 7/00047; H02J 7/0013; H02J 7/0027; H02J 1/122; H02J 7/00; B60R 16/033; H01M 10/44; H01M 10/46
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D163,616	S	*	6/1951	Levy	D13/110
D200,859	S	*	4/1965	Giegerich	D13/110
D200,860	S	*	4/1965	Beresk	D13/110
D464,934	S	*	10/2002	Chen	D13/110
D526,960	S	*	8/2006	Kobayashi	D13/133
D528,980	S	*	9/2006	Kobayashi	D13/133
D530,277	S	*	10/2006	Lin	D13/110
D544,834	S	*	6/2007	Weinstein	D13/110
D575,225	S	*	8/2008	Ahlgren	D13/107
D581,356	S	*	11/2008	Ahlgren	D13/107
D610,986	S	*	3/2010	Chen	D13/101
D617,267	S	*	6/2010	Li	D13/107
D733,046	S	*	6/2015	Shin	D13/107
D778,236	S	*	2/2017	Broadhurst, IV	D13/107
D800,653	S	*	10/2017	Smiedt	D13/107

OTHER PUBLICATIONS

"30W Led Light Emergency Backup Battery for 80-300w UFO highbay Fixture Rechargeable >90 Min Emergent Time 0/1-10V dimmable Driver Lamp 100-347VAC Suspended Mount(30W 120-180vDC)", Amazon.com, first available on Apr. 24, 2018. (Year: 2018). <https://www.amazon.com/Emergency-Rechargeable-100-347VAC-Suspended-120-180vDC/dp/B092ZPGZKF/>.*

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(57) **CLAIM**

The ornamental design for an emergency power supply, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of an emergency power supply showing my new design;
FIG. **2** is another perspective view thereof;
FIG. **3** is a front elevational view thereof;
FIG. **4** is a rear elevational view thereof;
FIG. **5** is a left side elevational view thereof;
FIG. **6** is a right side elevational view thereof;
FIG. **7** is a top plan view thereof; and,
FIG. **8** is a bottom plan view thereof.
The broken lines in the drawings depict portions of the emergency power supply that form no part of the claimed design.

1 Claim, 8 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8