



US00D972746S

(12) **United States Design Patent**  
**Masuda**

(10) **Patent No.:** **US D972,746 S**  
(45) **Date of Patent:** **\*\* Dec. 13, 2022**

(54) **ANALYSIS CHIP FOR BIOCHEMICAL INSPECTION MACHINE**

(71) Applicant: **KYOCERA Corporation**, Kyoto (JP)

(72) Inventor: **Yuji Masuda**, Yasu (JP)

(73) Assignee: **KYOCERA CORPORATION**, Kyoto (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/771,168**

(22) Filed: **Feb. 19, 2021**

(30) **Foreign Application Priority Data**

Aug. 21, 2020 (JP) ..... 2020-017573

(51) **LOC (13) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/226**

(58) **Field of Classification Search**  
USPC ..... D24/216, 224, 225–227, 229–232;  
D13/180, 182, 184, 199  
CPC ..... B01L 3/5027; B01L 3/502723; B01L  
3/502738; B01L 3/502761; B01L  
3/502784

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D650,090 S \* 12/2011 Odeh ..... D24/225
- D887,998 S \* 6/2020 Krasnopolski ..... D13/182
- D888,273 S \* 6/2020 Thompson, II ..... D24/224
- D928,344 S \* 8/2021 Takeuchi ..... D24/233
- D932,051 S \* 9/2021 Masuda ..... D24/225
- D933,253 S \* 10/2021 Ishizawa ..... D24/226
- D938,611 S \* 12/2021 Thompson, II ..... D24/224
- 2007/0249062 A1 \* 10/2007 Kageyama ..... B01L 3/502746  
436/514

- 2011/0244595 A1\* 10/2011 Chung ..... B01L 3/502707  
137/15.01
- 2015/0190811 A1\* 7/2015 Tachibana ..... C12M 33/00  
435/305.1
- 2015/0284668 A1\* 10/2015 Hsu ..... C12M 23/38  
435/305.4

(Continued)

**FOREIGN PATENT DOCUMENTS**

IN 322331-001 \* 4/2021

**OTHER PUBLICATIONS**

Microfluidic Technologies Diagnose World's Return to Normal. Online, published date Jun. 22, 2020. Retrieved on Apr. 3, 2022 from URL: <https://www.eetimes.eu/microfluidic-technologies-diagnose-worlds-return-to-normal/>.\*

*Primary Examiner* — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Hauptman Ham, LLP

(57) **CLAIM**

The ornamental design for an analysis chip for biochemical inspection machine, as shown and described.

**DESCRIPTION**

FIG. 1 is a top-front-right perspective view of an analysis chip for biochemical inspection machine showing my new design;

FIG. 2 is a top-rear-left perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a left side view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines, the areas within the broken lines, and the areas bounded by the broken lines and solid lines depict portions of the analysis chip for biochemical inspection machine that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2017/0297021 A1\* 10/2017 Chung ..... B01L 3/502715  
2020/0249232 A1\* 8/2020 Konstantopoulos .....  
G01N 33/5091  
2020/0406263 A1\* 12/2020 Milgram ..... B01L 3/502776

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8