



US00D973056S

(12) **United States Design Patent** (10) **Patent No.:** **US D973,056 S**
Cvek (45) **Date of Patent:** **** Dec. 20, 2022**

(54) **STAND FOR ANNULAR COMPUTER PERIPHERAL**
(71) Applicant: **Sava Cvek**, Jamaica Plain, MA (US)
(72) Inventor: **Sava Cvek**, Jamaica Plain, MA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/698,520**
(22) Filed: **Jul. 17, 2019**
(51) **LOC (13) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/434**; D14/217; D14/447; D14/432
(58) **Field of Classification Search**
USPC D14/251–253, 447, 356–359, 432, 434,
D14/224, 224.1, 299, 217; D13/108, 184;
D3/201
CPC H04M 1/04; H04M 1/21; H04M 1/06;
H04M 1/12; G06F 1/1632; G06F 1/203;
G06F 1/1628
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D244,550 S * 5/1977 Zuroski D14/215
D270,533 S * 9/1983 Piercy D14/224
D281,163 S * 10/1985 Robinson D14/442
D340,744 S * 10/1993 Van Eijben D19/75
D361,678 S * 8/1995 Tavone D6/677.1
D373,032 S * 8/1996 Williamson-Markman
D6/671.2
D382,823 S * 8/1997 Newland, Jr. D10/106.5
D408,355 S * 4/1999 Welsh D13/139.4
D421,195 S * 2/2000 Pezzullo D6/682.2
D476,313 S * 6/2003 Rivera H04R 5/02
D14/224
D507,602 S * 7/2005 Siegel D6/677.3
D508,458 S * 8/2005 Solland D13/108
D552,597 S * 10/2007 Solland D14/217
D552,881 S * 10/2007 Rittmann D6/682.2
D553,122 S * 10/2007 Solland D14/217

D553,123 S * 10/2007 Solland D14/217
D581,905 S * 12/2008 Solland D14/217
D603,187 S * 11/2009 Conway D6/677.1
D606,979 S * 12/2009 Henry D14/218
D625,295 S * 10/2010 Nogueira D14/218
D628,203 S * 11/2010 Noble D14/447
D648,323 S * 11/2011 Medas D21/333
D655,000 S * 2/2012 Mirigian D24/130
D660,306 S * 5/2012 Voorhees D14/238.1
D662,505 S * 6/2012 Mori D14/447

(Continued)

Primary Examiner — Janice Hallmark
(74) *Attorney, Agent, or Firm* — Thomas P. O’Connell;
O’Connell Law Firm



(57) **CLAIM**

The ornamental design for a stand for annular computer peripheral, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of a stand for annular computer peripheral showing my new design; FIG. 2 is a lower perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a view in front elevation thereof with the views in rear elevation and side elevation being mirror images thereof; FIG. 6 is a view in front elevation of the stand for annular computer peripheral in use retaining an annular computer peripheral; FIG. 7 is a cross-sectional view of the stand for annular computer peripheral in use retaining an annular computer peripheral taken along the line 7-7 in FIG. 6; and, FIG. 8 is a perspective view of the stand for annular computer peripheral in use retaining an annular computer peripheral. The broken lines illustrate environmental subject matter that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D673,573 S * 1/2013 Skene D14/447
D680,541 S * 4/2013 Lee D14/434
D705,355 S * 5/2014 Webster D19/86
D706,212 S * 6/2014 Zwierstra D13/107
D710,481 S * 8/2014 Walter D22/117
D714,248 S * 9/2014 Chang D14/140
D735,945 S * 8/2015 Reishus D28/73
D746,511 S * 12/2015 Gettings D26/152
D747,417 S * 1/2016 Cho D21/324
D757,585 S * 5/2016 Højmosé D10/106.1
D772,619 S * 11/2016 Lombardi D6/682.4
D774,455 S * 12/2016 Kim D13/108
D816,046 S * 4/2018 Kiong D14/218
D834,002 S * 11/2018 Bergfeldt D14/218
D849,460 S * 5/2019 Simone D6/677.3
D856,316 S * 8/2019 Yang D14/230
D866,524 S * 11/2019 McElveen H04R 1/08
D14/221
D873,831 S * 1/2020 DePaolo D14/434
D875,103 S * 2/2020 Vogel D14/447
D875,736 S * 2/2020 Ramones D14/447
D879,106 S * 3/2020 Mecchella D14/251
D912,014 S * 3/2021 Broadfield D14/217
D937,811 S * 12/2021 Lee D14/217
D940,115 S * 1/2022 Loidl D14/224
D940,872 S * 1/2022 Lam D24/167
D951,963 S * 5/2022 Memke D14/453
2021/0305823 A1 * 9/2021 Lee H04R 1/1025
2022/0224787 A1 * 7/2022 Cvek H04R 1/08

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5

