



US00D973250S

(12) **United States Design Patent** (10) **Patent No.:** **US D973,250 S**  
**Li** (45) **Date of Patent:** **\*\* Dec. 20, 2022**

(54) **FLASHLIGHT**  
(71) Applicant: **Haixia Li**, Shenzhen (CN)  
(72) Inventor: **Haixia Li**, Shenzhen (CN)  
(73) Assignee: **Shenzhen Yizhiyuan Technology Co., LTD**, Shenzhen (CN)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/744,225**  
(22) Filed: **Jul. 28, 2020**  
(51) **LOC (13) Cl.** ..... **26-02**  
(52) **U.S. Cl.**  
USPC ..... **D26/49; D26/46**  
(58) **Field of Classification Search**  
USPC ..... D26/24, 37-52, 113, 138  
CPC ..... F21Y 2115/10; F21Y 2101/00; F21Y 2113/13; F21Y 2113/17; F21Y 2103/10; F21V 23/0414; F21V 15/01; F21V 21/0885; F21V 14/045; F21V 14/025; F21V 21/145; F21V 21/406; F21V 19/02; F21V 21/0965; F21V 5/006; F21V 21/08; F21V 21/30; F21V 14/065; F21V 33/0064; F21V 23/0407; F21V 5/04; F21V 7/0075; F21V 9/083; F21V 13/045; F21V 33/0004; F21V 19/006; F21V 17/04; F21L 4/005; F21L 4/027; F21L 4/00; F21L 4/085; F21L 4/045; F21L 2001/00  
See application file for complete search history.

D504,970 S \* 5/2005 Dalton ..... D26/49  
D525,380 S \* 7/2006 Gillis ..... D26/49  
D553,283 S \* 10/2007 Rugendyke ..... D26/49  
D641,510 S \* 7/2011 Wang ..... D26/46

**OTHER PUBLICATIONS**

Imalent MS18 Brightest Flashlight. By Imalent. Dated May 13, 2019. Found online [Apr. 4, 2022]. <https://www.amazon.com/IMALENT-Brightest-Flashlight-Waterproof-Powerfull/dp/B07RSRXDLX> (Year: 2019).\*  
Original US WWII USN Bakelite. By ima-usa.com. No Date. Found online [Apr. 4, 2022]. <https://www.ima-usa.com/products/original-u-s-wwii-usn-bakelite-functional-electric-flashlight-by-stewart-r-browne-manufacturing-company?variant=19577105383493> (Year: 2022).\*

\* cited by examiner

*Primary Examiner* — Marissa J Cash  
*Assistant Examiner* — William B Melliar

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

**DESCRIPTION**


FIG. 1 is a front, top perspective view of a flashlight showing my new design;  
FIG. 2 is a front, bottom perspective view thereof;  
FIG. 3 is a rear, bottom perspective view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a right side elevational view thereof;  
FIG. 8 is a top plan view thereof; and,  
FIG. 9 is a bottom plan view thereof.  
The broken lines in the drawings depict portions of the flashlight that form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D482,151 S \* 11/2003 Shiu ..... D26/49  
D504,737 S \* 5/2005 Osiecki ..... D26/37






FIG. 1






FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6






FIG. 7






FIG. 8




FIG. 9