



US00D973569S

(12) **United States Design Patent** (10) **Patent No.:** **US D973,569 S**
Hensel (45) **Date of Patent:** **** Dec. 27, 2022**

(54) **LOCK RING HANDLE**

(71) Applicant: **OTR Wheel Engineering, Inc.**, Rome, GA (US)

(72) Inventor: **Leonard Hensel**, Rome, GA (US)

(73) Assignee: **OTR Wheel Engineering, Inc.**, Rome, GA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/711,556**

(22) Filed: **Oct. 31, 2019**

(51) **LOC (13) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/213**

(58) **Field of Classification Search**
USPC D8/75–81, 107, 349, 402; D12/204–215, D12/217, 223; D34/31, 34
CPC B60B 25/14; B60B 25/22; B60B 11/06; B60B 25/18; B60C 25/142; B60C 15/02; Y10T 29/5387; Y10T 29/5363; Y10T 29/5367; B25B 27/20; Y10S 254/10; Y10S 152/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,146,421 A * 7/1915 Funk B60C 25/142 157/1.48
1,350,524 A * 8/1920 Sauder B60C 25/142 157/1.45
1,501,597 A * 7/1924 Halling B60C 25/142 157/1.37
1,572,298 A * 2/1926 Lundahl B60C 25/142 157/1.37
1,670,404 A * 5/1928 Gendron B60C 25/142 157/1.49
1,694,893 A * 12/1928 Schneider B60C 25/142 157/1.45

1,772,363 A * 8/1930 Otti B60C 25/142 157/1.37
D322,022 S * 12/1991 Cunningham D8/DIG. 8
D657,652 S * 4/2012 Lin D8/303
D740,098 S * 10/2015 Kuo D8/303
2015/0231924 A1 * 8/2015 Hensel B60B 31/00 81/485
2019/0366523 A1 * 12/2019 Mcmunn B25B 27/20

OTHER PUBLICATIONS

Lock Ring Handle, available in safetymits.com, site visited on [Jul. 29, 2022] URL: <https://safetymits.com/lock-ring-handle> (Year: 2022).
The Chinese Office Action dated Aug. 6, 2020 for Chinese Patent Application No. 202030193322.9, a counterpart of U.S. Appl. No. 29/711,556, 1 page.

* cited by examiner

Primary Examiner — Marissa J Cash

Assistant Examiner — Pravin Giri

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.


(57) **CLAIM**

The ornamental design for a lock ring handle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a lock ring handle showing our new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a right-side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The dashed broken lines depict portions of the lock ring handle that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2





FIG. 3






FIG. 5




FIG. 6




FIG. 7

