



US00D973584S

(12) **United States Design Patent** (10) **Patent No.:** **US D973,584 S**
Nicolae et al. (45) **Date of Patent:** **** Dec. 27, 2022**

(54) **BATTERY FOR A WEARABLE
PHYSIOLOGICAL MONITOR**

(71) Applicant: **Whoop, Inc.**, Boston, MA (US)
(72) Inventors: **Aurelian Nicolae**, Brookline, MA (US);
Benjamin August Rothenberg
Peterson, Cambridge, MA (US); **Daniel**
Tonderys, Boston, MA (US); **Johan**
Liden, Brooklyn, NY (US); **Brett Tom**,
Richmond, CA (US); **Nick Burrows**,
Brooklyn, NY (US); **Eliot**
Reshetar-Jost, Austin, TX (US)

(73) Assignee: **Whoop, Inc.**, Boston, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/794,718**

(22) Filed: **Jun. 15, 2021**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103; D13/108**

(58) **Field of Classification Search**
USPC D13/102–110, 118–119, 184, 199;
D14/356, 432
CPC Y02E 60/10; Y02E 60/50; H01M 10/44;
H01M 10/46; H01M 10/465; H01M
10/482; H01M 10/4257; H01M 10/12;
H01M 10/623; H01M 10/6235; H01M
2200/30; H01M 2250/30; H01M 2250/40;
H01M 2250/20; H01M 2220/30; H01M
50/10; H01M 50/136; H01M 50/56;
H01M 50/1385; H01M 4/0433; H01M
6/505; H02J 7/00; H02J 7/0003; H02J
7/0013; H04B 1/3888; A45C 2011/002;
H04M 1/0283

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D382,538 S *	8/1997	Brunette	D13/103
D407,063 S *	3/1999	Reis, Jr.	D13/103
D407,708 S *	4/1999	Nagele	D14/240
D424,028 S *	5/2000	Vaiani	D13/184
D618,167 S *	6/2010	Tiffe	D13/103
D637,153 S *	5/2011	Ikeda	D13/103
D696,627 S *	12/2013	Tsoi	D13/110

(Continued)

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Strategic Patents, P.C.

(57) **CLAIM**

The ornamental design for a battery for a wearable physiological monitor, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a design for a battery for a wearable physiological monitor showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a top-front perspective view thereof, shown in an environment of use; FIG. 9 is a top-rear perspective view thereof, shown in an environment of use; FIG. 10 is a top-front perspective view thereof, shown in a second environment of use; FIG. 11 is a bottom-rear perspective view thereof, shown in a second environment of use; and, FIG. 12 is a top perspective view thereof, shown in a third environment of use. The broken lines depict portions of the battery for a wearable physiological monitor and environmental structure which form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D810,677 S *	2/2018	Chen	D13/103
D873,766 S *	1/2020	Anséhn	D13/103
D935,398 S *	11/2021	Wang	D13/108
D947,122 S *	3/2022	Dastmalchi	D13/108
D954,643 S *	6/2022	Antonio	D13/107
2022/0031181 A1 *	2/2022	Tavakoli	A61B 5/681

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12