



US00D973584S

(12)

United States Design Patent

Nicolae et al.

(10) Patent No.: US D973,584 S

(45) Date of Patent: ** Dec. 27, 2022

(54) BATTERY FOR A WEARABLE PHYSIOLOGICAL MONITOR

(71) Applicant: Whoop, Inc., Boston, MA (US)

(72) Inventors: Aurelian Nicolae, Brookline, MA (US); Benjamin August Rothenberg Peterson, Cambridge, MA (US); Daniel Tonderys, Boston, MA (US); Johan Liden, Brooklyn, NY (US); Brett Tom, Richmond, CA (US); Nick Burrows, Brooklyn, NY (US); Eliot Reshetar-Jost, Austin, TX (US)

(73) Assignee: Whoop, Inc., Boston, MA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/794,718

(22) Filed: Jun. 15, 2021

(51) LOC (13) Cl. 13-02

(52) U.S. Cl. USPC D13/103; D13/108

(58) Field of Classification Search USPC D13/102–110, 118–119, 184, 199; D14/356, 432 CPC Y02E 60/10; Y02E 60/50; H01M 10/44; H01M 10/46; H01M 10/465; H01M 10/482; H01M 10/4257; H01M 10/12; H01M 10/623; H01M 10/6235; H01M 2200/30; H01M 2250/30; H01M 2250/40; H01M 2250/20; H01M 2220/30; H01M 50/10; H01M 50/136; H01M 50/56; H01M 50/1385; H01M 4/0433; H01M 6/505; H02J 7/00; H02J 7/0003; H02J 7/0013; H04B 1/3888; A45C 2011/002; H04M 1/0283

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D382,538	S	*	8/1997	Brunette	D13/103
D407,063	S	*	3/1999	Reis, Jr.	D13/103
D407,708	S	*	4/1999	Nagele	D14/240
D424,028	S	*	5/2000	Vaiani	D13/184
D618,167	S	*	6/2010	Tiffe	D13/103
D637,153	S	*	5/2011	Ikeda	D13/103
D696,627	S	*	12/2013	Tsoi	D13/110

(Continued)

Primary Examiner — Nathaniel D. Buckner

(74) Attorney, Agent, or Firm — Strategic Patents, P.C.

(57) CLAIM


The ornamental design for a battery for a wearable physiological monitor, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a design for a battery for a wearable physiological monitor showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a top-front perspective view thereof, shown in an environment of use; FIG. 9 is a top-rear perspective view thereof, shown in an environment of use; FIG. 10 is a top-front perspective view thereof, shown in a second environment of use; FIG. 11 is a bottom-rear perspective view thereof, shown in a second environment of use; and, FIG. 12 is a top perspective view thereof, shown in a third environment of use.

The broken lines depict portions of the battery for a wearable physiological monitor and environmental structure which form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D810,677	S	*	2/2018	Chen		D13/103
D873,766	S	*	1/2020	Anséhn		D13/103
D935,398	S	*	11/2021	Wang		D13/108
D947,122	S	*	3/2022	Dastmalchi		D13/108
D954,643	S	*	6/2022	Antonio		D13/107
2022/0031181	A1	*	2/2022	Tavakoli		A61B 5/681

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12