



US00D973664S

(12) **United States Design Patent** (10) **Patent No.:** **US D973,664 S**
Ueki (45) **Date of Patent:** **** Dec. 27, 2022**

(54) **IC-CHIP FOR RFID TAG**

(56) **References Cited**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(72) Inventor: **Noriyuki Ueki**, Nagaokakyo (JP)

(73) Assignee: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/726,462**

(22) Filed: **Mar. 3, 2020**

U.S. PATENT DOCUMENTS

D766,881 S *	9/2016	Man	D14/230
D773,442 S *	12/2016	Man	D14/230
D779,464 S *	2/2017	Man	D14/230
D786,878 S *	5/2017	Markson	D14/437
D797,188 S *	9/2017	Hendrick	D19/9
D803,195 S *	11/2017	Man	D14/230
D814,474 S *	4/2018	Markson	D14/437
D841,183 S *	2/2019	Walden, II	D24/224
D857,674 S *	8/2019	Man	D14/230
D858,492 S *	9/2019	Man	D14/230
D860,175 S *	9/2019	Man	D14/230
D866,536 S *	11/2019	Forster	D14/230
D900,791 S *	11/2020	Man	D14/230

(Continued)

(30) **Foreign Application Priority Data**

FOREIGN PATENT DOCUMENTS

Sep. 6, 2019 (JP) 2019-019988

CN	202030071060.9	*	10/2020
EM	007732946-0001	*	10/2020

(51) **LOC (13) Cl.** **14-03**

(Continued)

(52) **U.S. Cl.**
USPC **D14/437**; D14/230

Primary Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group, LLC


(58) **Field of Classification Search**
USPC D14/230, 435-438, 383-385; D13/182;
D19/9, 10
CPC G06K 19/0723; G06K 19/0726; G06K
19/07722; G06K 19/07728; G06K
19/07747; G06K 19/07749; G06K
19/07775; G06K 19/07776; G06K
19/07779; G06K 7/0013; H01Q 7/00;
H01Q 1/00; H01Q 1/52; H01Q 1/2208;
H01L 24/83; H01L 23/562; H01L
2224/83201; H01L 2224/83902; H01L
2924/06; H01L 2924/141; B42D 15/00;
B42D 15/022; B42D 15/027; B42D
15/042; B42D 15/045; B42D 25/00;
B42D 25/20; B42D 25/30; B42D 25/23;
B42D 25/26; B42D 25/29; B42D 25/285
See application file for complete search history.

(57) **CLAIM**
The ornamental design for an IC-chip for RFID tag, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, and right side perspective view of an IC-chip for RFID tag showing my new design; FIG. 2 is a rear, top, and left side perspective view thereof; FIG. 3 is a top view thereof; FIG. 4 is a bottom view thereof; FIG. 5 is a right side view thereof; and, FIG. 6 is a left side view thereof.
The broken lines depict portions of the IC-chip for RFID tag which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D902,314 S * 11/2020 Man D14/230
D911,298 S * 2/2021 Krasnopolski D13/182
D939,020 S * 12/2021 Russell-Clarke D19/10
2002/0089049 A1* 7/2002 Leduc G06K 19/07718
257/679
2005/0045729 A1* 3/2005 Yamazaki G06K 19/072
235/492
2009/0278690 A1* 11/2009 Degani G06K 19/07749
340/572.7
2011/0155810 A1* 6/2011 Taniguchi G06K 19/0723
235/488
2015/0069132 A1* 3/2015 Pueschner H01L 23/49855
235/488
2015/0154491 A1* 6/2015 Charrat G06K 19/07745
235/492
2017/0293833 A1* 10/2017 Pohl G06K 19/07794
2017/0316303 A1* 11/2017 Pachler G06K 19/07794

FOREIGN PATENT DOCUMENTS

GB 9007732946-0001 * 3/2020
IN 327843-001 * 9/2021
JP D2019-19988 * 6/2020

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D973,664 S
APPLICATION NO. : 29/726462
DATED : December 27, 2022
INVENTOR(S) : Noriyuki Ueki

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Under (57) DESCRIPTION, Column 2, Lines 8-9:

-The broken lines depict portions of the IC-chip for RFID tag which form no pa of the claimed design.-

Should be:

--The broken lines depict portions of the IC-chip for RFID tag which form no part of the claimed design.--.

Signed and Sealed this
Seventh Day of March, 2023
Katherine Kelly Vidal

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office