



US00D973738S

(12) **United States Design Patent** (10) **Patent No.:** **US D973,738 S**
Mizutani (45) **Date of Patent:** **** Dec. 27, 2022**

(54) **WELDING NOZZLE CLEANER**

(71) Applicant: **SEVENTY EIGHT Co., Ltd.**, Osaka
(JP)

(72) Inventor: **Tetsuya Mizutani**, Osaka (JP)

(73) Assignee: **SEVENTY EIGHT Co., Ltd.**, Osaka
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/734,380**

(22) Filed: **May 12, 2020**

(30) **Foreign Application Priority Data**

Nov. 13, 2019 (JP) 2019-025219

(51) **LOC (13) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/144**

(58) **Field of Classification Search**
USPC 7/144, 146, 158; 219/136; D15/126,
D15/138, 144, 144.1, 144.2, 199;
D17/99; D24/133

CPC A61B 17/1666; B23B 31/006; B25D 3/00;
B23K 9/328; E21B 10/40

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,053,118 A * 9/1962 Lavallee B23B 31/006
403/279
3,077,938 A * 2/1963 Franklin E21B 10/40
175/407
3,284,608 A * 11/1966 McDonald B23K 9/328
219/137.43
D262,938 S * 2/1982 Schulze D8/70
D269,521 S * 6/1983 Braun D8/30
D385,288 S * 10/1997 Nakagawa D15/138

D567,267 S * 4/2008 Minor D15/138
D629,025 S * 12/2010 Greenleaf D15/138
D629,430 S * 12/2010 Harada D15/138

(Continued)

FOREIGN PATENT DOCUMENTS

JP 06079462 A * 3/1994
JP 06238453 A * 8/1994
JP 2011000596 A * 1/2011

OTHER PUBLICATIONS

Fleetfarm.com hornady primer pocket reamer package <https://www.fleetfarm.com/detail/hornady-primer-pocket-reamer-package/0000000377953> (Year: 2022).*

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Richard E Yenchesky

(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle
& Sklar, LLP

(57) **CLAIM**

The ornamental design for a welding nozzle cleaner, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a welding nozzle cleaner showing my new design, the rear elevation view being a mirror image thereof;

FIG. 2 is an enlarged left side elevation view thereof;


FIG. 3 is an enlarged right side elevation view thereof;

FIG. 4 is a top plan view thereof, the bottom plan view being identical thereto;

FIG. 5 is a bottom, left, front perspective view thereof; and, FIG. 6 is an enlarged sectional view taken along line 6-6 of FIG. 1.

The broken line showing is for the purpose of illustrating unclaimed portions of the welding nozzle cleaner and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



References Cited

D640,298	S	*	6/2011	Launius, Jr.	D15/138
D720,785	S	*	1/2015	Sato	D15/144.2
D790,693	S	*	6/2017	Mercer	D24/133
D792,493	S	*	7/2017	Sato	D15/144.1
9,902,055	B1	*	2/2018	Baker	B25D 3/00
D846,009	S	*	4/2019	Takemura	D15/144
D855,089	S	*	7/2019	Hopkins	D15/138
D868,123	S	*	11/2019	Bell	D15/144
D897,172	S	*	9/2020	Kita	D8/30
D901,564	S	*	11/2020	Murata	D15/144.1
D947,912	S	*	4/2022	Kang	D15/144
2011/0115342	A1	*	5/2011	Yang	H01L 41/04 310/365
2015/0082642	A1	*	3/2015	Raymond	B43L 9/04 7/158
2017/0000499	A1	*	1/2017	Crandall	A61B 17/1666

amazon.com emi medical sensory tuning for https://www.amazon.com/s?k=emi+medical+sensory+tuning+fork+1024+hz&crd=YGLMYONT02U8&prefix=emi+medical+sensory%20Caps%20C99&ref=nb_sb_ss_ts-doa-p_1_17 (Year: 2015).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG. 6