



US00D974487S

(12) **United States Design Patent**  
**Freedman**

(10) **Patent No.:** **US D974,487 S**

(45) **Date of Patent:** **\*\* Jan. 3, 2023**

(54) **NOODLE STRING**

(71) Applicant: **Kelz & Comp. LLC**, Lakewood, NJ (US)

(72) Inventor: **Joseph Freedman**, Lakewood, NJ (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/715,856**

(22) Filed: **Dec. 5, 2019**

(51) **LOC (14) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/468**

(58) **Field of Classification Search**  
USPC ..... D21/398, 399, 402, 405, 468, 679, 680, D21/691; D30/160, 158, 159; D24/133, D24/212, 213, 215; D4/102, 103, 111, D4/117, 118, 123, 134, 135; D8/29; D6/580; D25/122; 165/183; 601/112  
CPC .... A61H 15/0092; A61H 15/00; A01K 29/00; A01K 15/026; A01K 15/02; B25B 23/0021; A23G 3/50; A23G 3/54; A63H 33/082; A23K 40/20; A63B 2243/007; A63B 37/00; F28F 1/20  
See application file for complete search history.

D473,683 S \* 4/2003 Willinger ..... A01K 15/026 D30/160

D492,373 S \* 6/2004 Sonnon ..... D21/680

D496,773 S \* 10/2004 Tepper ..... D1/199

D520,576 S \* 5/2006 Sonnon ..... D21/680

D587,411 S \* 2/2009 Rezny ..... D30/160

D648,080 S \* 11/2011 Haaf ..... D30/160

D654,544 S \* 2/2012 Sliemers ..... D21/679

D655,056 S \* 2/2012 Blair ..... D1/199

D655,057 S \* 2/2012 Blair ..... D1/199

D655,058 S \* 2/2012 Blair ..... D1/199

D677,441 S \* 3/2013 Renforth ..... D30/160

D689,155 S \* 9/2013 Jahns ..... D21/692

(Continued)

**OTHER PUBLICATIONS**

“Texturodos durable textured stretchy string fidget”, posted Oct. 23, 2019 [Online], [retrieved Mar. 2, 2022]. Retrieved from Internet, <https://amzn.to/3sCfv5M>.\*

(Continued)

*Primary Examiner* — Mehri F Bajoul  
(74) *Attorney, Agent, or Firm* — Tatonetti IP

(57) **CLAIM**

I claim the ornamental design for a noodle string, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, left perspective view of the noodle string;

FIG. 2 is a front side view thereof, in which the noodle string is symmetrical and the periodicity of the design continues to the left, rear, and right sides thereof; and,

FIG. 3 is top side view thereof, the bottom side view being a mirror image of the top side view.

Broken lines, such as those representing the rounded balls on the ends of the noodle string represent portions of the noodle string that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D274,468 S \* 6/1984 Perry ..... D30/160

D279,406 S \* 6/1985 Shiu ..... D9/683

D308,122 S \* 5/1990 Markham ..... D30/160

D331,517 S \* 12/1992 Warner ..... D6/580

5,191,856 A \* 3/1993 Gordon ..... A01K 15/025 446/419


D341,169 S \* 11/1993 Denton ..... D21/468

D358,111 S \* 5/1995 Gregory ..... D10/113.2

D421,633 S \* 3/2000 Hollister ..... D21/468

D427,391 S \* 6/2000 Gill ..... D30/160

D450,894 S \* 11/2001 Suchowski ..... A01K 15/026 D30/160



(56)

References Cited

U.S. PATENT DOCUMENTS

D689,654 S \* 9/2013 Oblack ..... D30/160  
 D694,348 S \* 11/2013 Rankin ..... D21/679  
 D696,736 S \* 12/2013 Preston ..... D21/680  
 RE44,784 E \* 3/2014 Huang ..... D21/679  
 D717,016 S \* 11/2014 Osenga ..... D1/199  
 D733,226 S \* 6/2015 Abbate ..... D21/679  
 D754,935 S \* 4/2016 Lai ..... D30/160  
 D802,153 S \* 11/2017 Kelly ..... D24/188  
 D807,593 S \* 1/2018 Floyd ..... A01K 15/024  
 D809,219 S \* 1/2018 Wright ..... A46B 5/023  
 D812,822 S \* 3/2018 Pinto ..... D30/160  
 D815,369 S \* 4/2018 Byrne ..... D21/657  
 D819,757 S \* 6/2018 Oldham ..... D21/680  
 D821,040 S \* 6/2018 Loibl ..... D30/160  
 D821,041 S \* 6/2018 Buessler ..... D30/121  
 D821,663 S \* 6/2018 Ting ..... D30/160  
 D822,918 S \* 7/2018 Woods ..... D30/160  
 D825,116 S \* 8/2018 Wills ..... D30/160  
 D826,484 S \* 8/2018 Loibl ..... D1/125  
 D834,115 S \* 11/2018 Gilbert ..... D21/679  
 D842,940 S \* 3/2019 Harden ..... D21/679

D845,560 S \* 4/2019 Crane ..... D30/160  
 D847,276 S \* 4/2019 Summers ..... D21/679  
 D853,056 S \* 7/2019 Loibl ..... D30/160  
 D853,505 S \* 7/2019 Toueg ..... D21/679  
 D855,180 S \* 7/2019 Haefliger ..... D24/133  
 D862,617 S \* 10/2019 Henniger ..... D21/679  
 D884,296 S \* 5/2020 Gick ..... D30/160  
 D887,094 S \* 6/2020 Ruan ..... D30/160  
 D889,756 S \* 7/2020 Kelly ..... D30/160  
 D904,533 S \* 12/2020 Gilbert ..... D21/679  
 D905,355 S \* 12/2020 Wang ..... D30/160  
 D908,985 S \* 1/2021 Yeung ..... D30/160  
 D914,113 S \* 3/2021 Jaquish ..... D21/679  
 D929,678 S \* 8/2021 Huang ..... D30/160  
 D930,286 S \* 9/2021 Huang ..... D30/160  
 D930,922 S \* 9/2021 Ruan ..... D30/160  
 D931,488 S \* 9/2021 Halstrom ..... D24/215  
 D932,569 S \* 10/2021 Joung ..... D21/679  
 D937,503 S \* 11/2021 Wang ..... D30/160

OTHER PUBLICATIONS

“Fluted Plastic Anchors” posted May 9, 2018[Online],[retrieved Oct. 27, 2022]. Retrieved from Internet: <https://www.amazon.com/Fluted-Plastic-Anchors-Screws-Length/dp/B07CYHN48S>.\*

\* cited by examiner




FIG. 1





FIG. 2



**FIG. 3**