

US00D974612S

(12)

United States Design Patent

Ryu et al.

(10)

Patent No.:


US D974,612 S

(45)

Date of Patent:

** Jan. 3, 2023


(54)	HEAD LAMP FOR VEHICLES	(56)	References Cited
(71)	Applicants:HYUNDAI MOTOR COMPANY, Seoul (KR); KIA CORPORATION, Seoul (KR)	U.S. PATENT DOCUMENTS	
(72)	Inventors: Seajae Ryu, Ulsan (KR); Byungkyu Park, Pyeongtaek-si (KR); Kyungho Kim, Goyang-si (KR)	D646,410 S *	10/2011 Eda D26/28
(73)	Assignees: Hyundai Motor Company, Seoul (KR); Kia Corporation, Seoul (KR)	D674,932 S *	1/2013 Kawano D26/28
(**) Term:	15 Years	D685,116 S *	6/2013 Kido D26/28
(21)	Appl. No.: 35/512,346	D783,870 S *	4/2017 Yamakawa D26/28
(22)	Filed: Jul. 16, 2021	D812,791 S *	3/2018 Wu D26/28
(80)	Hague Agreement Data	D819,851 S *	6/2018 Munakata D26/28
	Int. Filing Date: Jul. 16, 2021	D831,865 S *	10/2018 Aiba D26/28
	Int. Reg. No.: DM/215601	D833,043 S *	11/2018 Aiba D26/28
	Int. Reg. Date: Jul. 16, 2021	D842,510 S *	3/2019 Kang D26/28
	Int. Reg. Pub. Date: Aug. 13, 2021	D852,996 S *	7/2019 Suzuki D26/28
(30)	Foreign Application Priority Data	D910,892 S *	2/2021 Tanaka D26/28
	Mar. 29, 2021 (KR) 30-2021-0015037	D930,858 S *	9/2021 Yang D26/28
(51)	LOC (14) Cl. 26-06	* cited by examiner	
(52)	U.S. Cl.	Primary Examiner — Angela J Lee	
	USPC D26/28	(74) Attorney, Agent, or Firm — Fox Rothschild LLP	
(58)	Field of Classification Search	(57)	CLAIM
	USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36	The ornamental design for a head lamp for vehicles, as shown and described.	
	CPC F21W 2103/35; F21W 2103/40; F21W 2102/17; F21W 2102/30; F21W 2103/00; F21W 2103/55; F21W 2104/00; F21W 2107/17; F21W 2107/13; F21S 41/00; F21S 41/141; F21S 41/162; F21S 41/18; F21S 41/20; F21S 41/33; F21S 41/36; F21S 41/60; F21S 43/00; F21V 21/04	DESCRIPTION	
	See application file for complete search history.	1. Head lamp for vehicles	
		1.1 : Perspective	
		1.2 : Front	
		1.3 : Back	
		1.4 : Right	
		1.5 : Left	
		1.6 : Top	
		1.7 : Bottom	
		1.8 : Perspective	
		1.1 is a top, front, and left side perspective view of a head lamp for vehicles embodying our new design; 1.2 is a front elevation view thereof; 1.3 is a rear elevation view thereof; 1.4 is a right side elevation view thereof; 1.5 is a left side elevation view thereof; 1.6 is a top plan view thereof; 1.7 is a bottom plan view thereof; and 1.8 is a top, rear, and left side perspective view thereof; this article is installed on a left	
		(Continued)	




and right side of the front of vehicles to improve a driver's visibility at night or in case of rain.

1 Claim, 8 Drawing Sheets


1.1




1.2




1.3




1.4




1.5



1.6



1.7



1.8

