



US00D974895S

(12) **United States Design Patent**
Hsu

(10) **Patent No.:** **US D974,895 S**
(45) **Date of Patent:** **** Jan. 10, 2023**

(54) **CABLE TIE**
(71) Applicant: **Jung-Lang Hsu**, Taichung (TW)
(72) Inventor: **Jung-Lang Hsu**, Taichung (TW)
(**) Term: **15 Years**
(21) Appl. No.: **29/713,922**
(22) Filed: **Nov. 19, 2019**
(51) **LOC (14) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/396**
(58) **Field of Classification Search**
USPC D8/394-396; D3/215, 247; D20/22, 28;
D19/10
CPC . A45F 5/02; A45F 5/021; A45F 5/004; A44C
3/001; B65D 63/1063; B65D 63/1027
See application file for complete search history.

7,774,905 B2 * 8/2010 Geiger F16L 3/2332
248/74.3
D631,731 S * 2/2011 Chen D8/356
D698,631 S * 2/2014 Wang D8/383
D698,632 S * 2/2014 Wang D8/383
D729,054 S * 5/2015 Chen D8/356
D748,971 S * 2/2016 Scott D8/396
D769,704 S * 10/2016 Nitta D8/387

(Continued)

FOREIGN PATENT DOCUMENTS

KR 300942678-0000 * 2/2018
WO WO-2005099402 A2 * 10/2005 F16B 2/08
WO WO-2021020959 A1 * 2/2021

Primary Examiner — John R Yeh
(74) *Attorney, Agent, or Firm* — Raymond Chan

(57) **CLAIM**

The ornamental design for a cable tie, as shown and described.

(56) **References Cited**



U.S. PATENT DOCUMENTS

D224,960 S * 10/1972 Wilson D8/394
D255,668 S * 7/1980 Sidders D8/394
D308,016 S * 5/1990 Tritton D8/394
D313,547 S * 1/1991 Buckles D8/394
D326,406 S * 5/1992 Anderson D8/394
D369,960 S * 5/1996 Rohaly D8/396
D389,051 S * 1/1998 Caveney D8/396
5,956,813 A * 9/1999 Cooper B65D 63/1063
24/17 AP
D424,417 S * 5/2000 Axelsson D8/394
D424,921 S * 5/2000 Axelsson D8/394
D424,923 S * 5/2000 Lodi D8/396
6,681,451 B1 * 1/2004 Adams B65D 63/1027
24/17 AP
D515,408 S * 2/2006 Cheung D8/394
D530,600 S * 10/2006 Krisel D8/396
D537,333 S * 2/2007 Jowsey D8/396
D565,401 S * 4/2008 Grady D8/394
D619,887 S * 7/2010 Colton D8/396

DESCRIPTION

FIG. 1 is a perspective view of cable tie showing my new design.
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left view thereof;
FIG. 5 is a right view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a cross-sectional view along the line 8-8 in FIG. 6;
FIG. 9 is a cross-sectional view along the line 9-9 in FIG. 8;
and,
FIG. 10 is a cross-sectional view along the line 10-10 in FIG. 8.
The broken lines depict cross-sectional indications and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D776,272 S * 1/2017 Backes B65D 63/1027
D8/396
10,053,268 B1 * 8/2018 Sickenberger B65D 63/18
D835,495 S * 12/2018 Votel D8/356
D939,936 S * 1/2022 Wang D8/356
2003/0163904 A1 * 9/2003 O'Young B65D 63/1072
24/16 PB
2006/0096066 A1 * 5/2006 Wambaugh B65D 63/1063
24/16 PB
2013/0014351 A1 * 1/2013 Kuglen B65D 63/1027
24/17 B
2013/0333163 A1 * 12/2013 Chen B29C 48/12
24/16 PB

* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10