



US00D974924S

(12) **United States Design Patent**  
**Ghods et al.**

(10) **Patent No.:** **US D974,924 S**  
(45) **Date of Patent:** **\*\* Jan. 10, 2023**

(54) **EMBEDDABLE WIRELESS SENSOR**

(71) Applicant: **GIATEC SCIENTIFIC INC.**, Nepean (CA)

(72) Inventors: **Pouria Ghods**, Gloucester (CA);  
**Rouhollah Alizadeh**, Nepean (CA);  
**Andrew Fahim**, Ottawa (CA); **Mustafa Salehi**, Nepean (CA); **Sarah De Carufel**, Ottawa (CA)

(73) Assignee: **Giatec Scientific Inc.**, Nepean (CA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/716,669**

(22) Filed: **Dec. 11, 2019**

(51) **LOC (14) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/46; D10/53; D10/83**

(58) **Field of Classification Search**  
USPC ..... D10/46, 47, 49, 52, 53, 57, 61, 62, 65,  
D10/66, 70, 74, 75, 76, 80-85, 94, 96  
CPC ..... B28B 23/0031; G01K 3/00; G01K 3/08;  
G01K 3/12; G01N 33/383; G01N 17/04;  
G01N 2203/0092; H01Q 1/42  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D399,445 S \* 10/1998 Camano ..... D10/104.1  
D453,478 S \* 2/2002 Ishii ..... D10/69  
D626,021 S \* 10/2010 Kalbach ..... D10/70  
8,529,363 B1 \* 9/2013 Grafe ..... A63B 60/10  
473/206  
D711,756 S \* 8/2014 Dasbach ..... D10/98  
(Continued)

**FOREIGN PATENT DOCUMENTS**

WO WO-2020198872 A1 \* 8/2020

**OTHER PUBLICATIONS**

Giatec Unveils the Worlds Most Advanced Concrete Sensor at WOC | prnewswire.com; posted Feb. 3, 2020 [online], © 2021 Cision US Inc [retrieved Aug. 23, 2021] from Internet: <https://www.prnewswire.com/news-releases/giatec-unveils-the-worlds-most-advanced-concrete-sensor-at-woc-300997324.html> (Year: 2020).\*

*Primary Examiner* — Katherine Glennon

(74) *Attorney, Agent, or Firm* — Rosenberg, Klein & Lee


(57) **CLAIM**

The ornamental design for an embeddable wireless sensor, as shown and described.

**DESCRIPTION**

FIG. 1 is a front top perspective view of an embeddable sensor showing our new design;  
FIG. 2 is a rear bottom perspective view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a bottom side view thereof;  
FIG. 5 is a front view thereof;  
FIG. 6 is a rear side view thereof;  
FIG. 7 is a right side view thereof; and  
FIG. 8 is a left side view thereof;  
FIG. 9 is an enlarged detail of a portion as defined by the dashed circle 9 in FIG. 1;  
FIG. 10 is an enlarged detail of a portion as defined by the dashed circle 10 in FIG. 2;  
FIG. 11 is an enlarged detail of a portion as defined by the dashed circle 11 in FIG. 13;  
FIG. 12 is an enlarged detail of a portion as defined by the dashed circle 12 in FIG. 3; and,  
FIG. 13 is a bottom end perspective view of the embeddable sensor of FIG. 1.  
The dash-dash broken lines show portions of the embeddable wireless sensor that form no part of the claimed design. The dash-dot-dot-dash broken lines define the bounds of the claimed design and form no part thereof. The embeddable wireless sensor is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D727,181 S \* 4/2015 Papadourakis ..... D10/65  
D752,518 S \* 3/2016 Norman ..... D13/146  
D754,551 S \* 4/2016 Heikkila ..... D10/65  
9,638,652 B2 \* 5/2017 Ghods ..... G01N 27/02  
D876,254 S \* 2/2020 Joyal ..... D10/70  
10,768,130 B2 \* 9/2020 Ghods ..... G01N 33/383  
2022/0107251 A1 \* 4/2022 Ghods ..... G01K 1/026

\* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8






Figure 9




Figure 10




Figure 11




Figure 12




Figure 13